

Appendix 12

EPBC Act Protected Matters Report and Wildlife Online



Australian Government

Department of Sustainability, Environment,
Water, Population and Communities

EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected.

Information on the coverage of this report and qualifications on data supporting this report are contained in the caveat at the end of the report.

Information is available about [Environment Assessments](#) and the EPBC Act including significance guidelines, forms and application process details.

Report created: 26/09/13 12:19:15

[Summary](#)

[Details](#)


[Matters of NES](#)

[Other Matters Protected by the EPBC Act](#)

[Extra Information](#)

[Caveat](#)


[Acknowledgements](#)



This map may contain data which are
©Commonwealth of Australia
(Geoscience Australia), ©PSMA 2010

[Coordinates](#)

[Buffer: 10.0Km](#)



Summary

Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the [Administrative Guidelines on Significance](#).

| | |
|---|------|
| World Heritage Properties: | None |
| National Heritage Places: | None |
| Wetlands of International Importance: | None |
| Great Barrier Reef Marine Park: | None |
| Commonwealth Marine Areas: | None |
| Listed Threatened Ecological Communities: | 2 |
| Listed Threatened Species: | 47 |
| Listed Migratory Species: | 16 |

Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As [heritage values](#) of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place and the heritage values of a place on the Register of the National Estate.

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

A [permit](#) may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

| | |
|--|------|
| Commonwealth Land: | 1 |
| Commonwealth Heritage Places: | None |
| Listed Marine Species: | 17 |
| Whales and Other Cetaceans: | None |
| Critical Habitats: | None |
| Commonwealth Reserves Terrestrial: | None |
| Commonwealth Reserves Marine | None |

Extra Information

This part of the report provides information that may also be relevant to the area you have nominated.

| | |
|--|------|
| Place on the RNE: | 1 |
| State and Territory Reserves: | None |
| Regional Forest Agreements: | None |
| Invasive Species: | 34 |
| Nationally Important Wetlands: | None |
| Key Ecological Features (Marine) | None |

Details

Matters of National Environmental Significance

Listed Threatened Ecological Communities

[[Resource Information](#)]

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

| Name | Status | Type of Presence |
|--|-----------------------|--------------------------------------|
| Broad leaf tea-tree (<i>Melaleuca viridiflora</i>) woodlands in high rainfall coastal north Queensland | Endangered | Community may occur within area |
| Mabi Forest (Complex Notophyll Vine Forest 5b) | Critically Endangered | Community known to occur within area |

Listed Threatened Species

[[Resource Information](#)]

| Name | Status | Type of Presence |
|---|------------|--|
| Birds | | |
| Casuarius casuarius johnsonii | Endangered | Species or species habitat known to occur within area |
| Southern Cassowary (Australian), Southern Cassowary [25986] | Endangered | Species or species habitat known to occur within area |
| Dasyornis brachypterus | Endangered | Species or species habitat may occur within area |
| Eastern Bristlebird [533] | Endangered | Species or species habitat may occur within area |
| Erythrorchis radiatus | Vulnerable | Species or species habitat known to occur within area |
| Red Goshawk [942] | Vulnerable | Species or species habitat known to occur within area |
| Erythrura gouldiae | Endangered | Species or species habitat known to occur within area |
| Gouldian Finch [413] | Endangered | Species or species habitat known to occur within area |
| Geophaps scripta scripta | Vulnerable | Species or species habitat likely to occur within area |
| Squatter Pigeon (southern) [64440] | Vulnerable | Species or species habitat likely to occur within area |
| Neochmia ruficauda ruficauda | Endangered | Species or species habitat likely to occur within area |
| Star Finch (eastern), Star Finch (southern) [26027] | Endangered | Species or species habitat likely to occur within area |
| Poephila cincta cincta | Endangered | Species or species habitat known to occur |
| Black-throated Finch (southern) [64447] | Endangered | Species or species habitat known to occur |

| Name | Status | Type of Presence within area |
|---|-----------------------|--|
| <u><i>Rostratula australis</i></u> Australian Painted Snipe [77037] | Endangered | Species or species habitat likely to occur within area |
| <u><i>Tyto novaehollandiae kimberli</i></u> Masked Owl (northern) [26048] | Vulnerable | Species or species habitat likely to occur within area |
| Fish | | |
| <u><i>Melanotaenia eachamensis</i></u> Lake Eacham Rainbowfish [26185] | Endangered | Species or species habitat known to occur within area |
| Frogs | | |
| <u><i>Litoria nannotis</i></u> Waterfall Frog, Torrent Tree Frog [1817] | Endangered | Species or species habitat may occur within area |
| <u><i>Litoria nyakalensis</i></u> Mountain Mistfrog [1820] | Critically Endangered | Species or species habitat known to occur within area |
| <u><i>Litoria rheocola</i></u> Common Mistfrog [1802] | Endangered | Species or species habitat likely to occur within area |
| <u><i>Nyctimystes dayi</i></u> Lace-eyed Tree Frog, Australian Lacelid [1813] | Endangered | Species or species habitat likely to occur within area |
| <u><i>Pseudophryne covacevichae</i></u> Magnificent Brood Frog [64385] | Vulnerable | Species or species habitat likely to occur within area |
| Mammals | | |
| <u><i>Bettongia tropica</i></u> Northern Bettong [214] | Endangered | Species or species habitat likely to occur within area |
| <u><i>Conilurus penicillatus</i></u> Brush-tailed Rabbit-rat, Brush-tailed Tree-rat, Pakooma [132] | Vulnerable | Species or species habitat may occur within area |
| <u><i>Dasyurus hallucatus</i></u> Northern Quoll [331] | Endangered | Species or species habitat known to occur within area |
| <u><i>Dasyurus maculatus gracilis</i></u> Spotted-tailed Quoll or Yarri (North Queensland subspecies) [64475] | Endangered | Species or species habitat likely to occur within area |
| <u><i>Hipposideros semoni</i></u> Semon's Leaf-nosed Bat, Greater Wart-nosed Horseshoe-bat [180] | Endangered | Species or species habitat may occur within area |
| <u><i>Petaurus australis unnamed subsp.</i></u> Yellow-bellied Glider (Wet Tropics), Fluffy Glider [66668] | Vulnerable | Species or species habitat likely to occur within area |
| <u><i>Phascolarctos cinereus (combined populations of Qld, NSW and the ACT)</i></u> Koala (combined populations of Queensland, New South Wales and the Australian Capital Territory) [85104] | Vulnerable | Species or species habitat likely to occur within area |
| <u><i>Pteropus conspicillatus</i></u> Spectacled Flying-fox [185] | Vulnerable | Species or species habitat known to occur within area |
| <u><i>Pteropus poliocephalus</i></u> Grey-headed Flying-fox [186] | Vulnerable | Species or species habitat may occur within area |

| Name | Status | Type of Presence |
|---|-----------------------|--|
| <u>Rhinolophus philippinensis (large form)</u> Greater Large-eared Horseshoe Bat [66890] | Endangered | Species or species habitat known to occur within area |
| <u>Saccolaimus saccolaimus nudicluniatus</u> Bare-rumped Sheathtail Bat [66889] | Critically Endangered | Species or species habitat likely to occur within area |
| Other | | |
| <u>Cycas platyphylla</u> a cycad [55796] | Vulnerable | Species or species habitat likely to occur within area |
| Plants | | |
| <u>Acacia purpureopetala</u> [61156] | Vulnerable | Species or species habitat may occur within area |
| <u>Alloxylon flammeum</u> Red Silky Oak, Queensland Waratah, Tree Waratah [56400] | Vulnerable | Species or species habitat likely to occur within area |
| <u>Arthraxon hispidus</u> Hairy-joint Grass [9338] | Vulnerable | Species or species habitat likely to occur within area |
| <u>Cajanus mareebensis</u> [8635] | Endangered | Species or species habitat known to occur within area |
| <u>Chamaesyce carisoides</u> [67187] | Vulnerable | Species or species habitat likely to occur within area |
| <u>Dendrobium bigibbum</u> Cooktown Orchid [10306] | Vulnerable | Species or species habitat may occur within area |
| <u>Dendrobium johannii</u> [13585] | Vulnerable | Species or species habitat may occur within area |
| <u>Grevillea glossadenia</u> [7979] | Vulnerable | Species or species habitat likely to occur within area |
| <u>Homoranthus porteri</u> [55196] | Vulnerable | Species or species habitat likely to occur within area |
| <u>Huperzia filiformis</u> Rat's Tail Tassel-fern [24163] | Endangered | Species or species habitat likely to occur within area |
| <u>Huperzia marsupiiformis</u> Water Tassel-fern [56632] | Vulnerable | Species or species habitat likely to occur within area |
| <u>Phaius australis</u> Lesser Swamp-orchid [5872] | Endangered | Species or species habitat known to occur within area |
| <u>Phaius tancarvilleae</u> Swamp Lily, Greater Swamp-orchid [2104] | Endangered | Species or species habitat known to occur within area |
| <u>Prostanthera clotteniana</u> [76165] | Critically Endangered | Species or species habitat known to occur within area |
| <u>Sauvagesia macranthus</u> [13189] | Vulnerable | Species or species habitat likely to occur |

| Name | Status | Type of Presence within area |
|--|--|--|
| <u><i>Streblus pendulinus</i></u> Siah's Backbone, Sia's Backbone, Isaac Wood [21618] | Endangered | Species or species habitat known to occur within area |
| <u><i>Taeniophyllum muelleri</i></u> Minute Orchid, Ribbon-root Orchid [10771] | Vulnerable | Species or species habitat likely to occur within area |
| <u><i>Tropilis callitrophilis</i></u> Thin Feather Orchid [82771] | Vulnerable | Species or species habitat may occur within area |
| <u><i>Tylophora rupicola</i></u> [55237] | Endangered | Species or species habitat likely to occur within area |
| Sharks | | |
| <u><i>Pristis microdon</i></u> Freshwater Sawfish [66182] | Vulnerable | Species or species habitat likely to occur within area |
| Listed Migratory Species | [Resource Information] | |
| * Species is listed under a different scientific name on the EPBC Act - Threatened Species list. | | |
| Name | Threatened | Type of Presence |
| Migratory Marine Birds | | |
| <u><i>Apus pacificus</i></u> Fork-tailed Swift [678] | | Species or species habitat likely to occur within area |
| Migratory Marine Species | | |
| <u><i>Crocodylus porosus</i></u> Salt-water Crocodile, Estuarine Crocodile [1774] | | Species or species habitat likely to occur within area |
| Migratory Terrestrial Species | | |
| <u><i>Erythrura gouldiae</i></u> Gouldian Finch [413] | Endangered | Species or species habitat known to occur within area |
| <u><i>Haliaeetus leucogaster</i></u> White-bellied Sea-Eagle [943] | | Species or species habitat known to occur within area |
| <u><i>Hirundapus caudacutus</i></u> White-throated Needletail [682] | | Species or species habitat likely to occur within area |
| <u><i>Hirundo rustica</i></u> Barn Swallow [662] | | Species or species habitat may occur within area |
| <u><i>Merops ornatus</i></u> Rainbow Bee-eater [670] | | Species or species habitat may occur within area |
| <u><i>Monarcha melanopsis</i></u> Black-faced Monarch [609] | | Species or species habitat known to occur within area |
| <u><i>Monarcha trivirgatus</i></u> Spectacled Monarch [610] | | Species or species habitat known to occur within area |
| <u><i>Myiagra cyanoleuca</i></u> Satin Flycatcher [612] | | Species or species habitat known to occur within area |
| <u><i>Rhipidura rufifrons</i></u> Rufous Fantail [592] | | Species or species habitat known to occur within area |

| Name | Threatened | Type of Presence within area |
|---|-------------|--|
| Migratory Wetlands Species | | |
| <u>Ardea alba</u> | | |
| Great Egret, White Egret [59541] | | Species or species habitat known to occur within area |
| <u>Ardea ibis</u> | | |
| Cattle Egret [59542] | | Species or species habitat likely to occur within area |
| <u>Gallinago hardwickii</u> | | |
| Latham's Snipe, Japanese Snipe [863] | | Species or species habitat may occur within area |
| <u>Grus antigone</u> | | |
| Sarus Crane [904] | | Species or species habitat likely to occur within area |
| <u>Rostratula benghalensis (sensu lato)</u> | | |
| Painted Snipe [889] | Endangered* | Species or species habitat likely to occur within area |

Other Matters Protected by the EPBC Act

| Commonwealth Land | [Resource Information] | |
|---|--------------------------|--|
| The Commonwealth area listed below may indicate the presence of Commonwealth land in this vicinity. Due to the unreliability of the data source, all proposals should be checked as to whether it impacts on a Commonwealth area, before making a definitive decision. Contact the State or Territory government land department for further information. | | |
| <u>Commonwealth Land</u> | | |
| Name | Type of Presence | |
| Defence - ATHERTON RIFLE RANGE | | |
| Listed Marine Species | [Resource Information] | |
| * Species is listed under a different scientific name on the EPBC Act - Threatened Species list. | | |
| Name | Threatened | Type of Presence |
| Birds | | |
| <u>Anseranas semipalmata</u> | | |
| Magpie Goose [978] | | Species or species habitat may occur within area |
| <u>Apus pacificus</u> | | |
| Fork-tailed Swift [678] | | Species or species habitat likely to occur within area |
| <u>Ardea alba</u> | | |
| Great Egret, White Egret [59541] | | Species or species habitat known to occur within area |
| <u>Ardea ibis</u> | | |
| Cattle Egret [59542] | | Species or species habitat likely to occur within area |
| <u>Gallinago hardwickii</u> | | |
| Latham's Snipe, Japanese Snipe [863] | | Species or species habitat may occur within area |
| <u>Haliaeetus leucogaster</u> | | |
| White-bellied Sea-Eagle [943] | | Species or species habitat known to occur within area |
| <u>Hirundapus caudacutus</u> | | |
| White-throated Needletail [682] | | Species or species habitat likely to occur within area |
| <u>Hirundo rustica</u> | | |
| Barn Swallow [662] | | Species or species habitat may occur within area |

| Name | Threatened | Type of Presence |
|--|-------------|--|
| <u>Merops ornatus</u> Rainbow Bee-eater [670] | | Species or species habitat may occur within area |
| <u>Monarcha melanopsis</u> Black-faced Monarch [609] | | Species or species habitat known to occur within area |
| <u>Monarcha trivirgatus</u> Spectacled Monarch [610] | | Species or species habitat known to occur within area |
| <u>Myiagra cyanoleuca</u> Satin Flycatcher [612] | | Species or species habitat known to occur within area |
| <u>Pandion haliaetus</u> Osprey [952] | | Species or species habitat likely to occur within area |
| <u>Rhipidura rufifrons</u> Rufous Fantail [592] | | Species or species habitat known to occur within area |
| <u>Rostratula benghalensis (sensu lato)</u> Painted Snipe [889] | Endangered* | Species or species habitat likely to occur within area |

Reptiles

| | | |
|--|--|--|
| <u>Crocodylus johnstoni</u> Freshwater Crocodile, Johnston's Crocodile, Johnston's River Crocodile [1773] | | Species or species habitat may occur within area |
| <u>Crocodylus porosus</u> Salt-water Crocodile, Estuarine Crocodile [1774] | | Species or species habitat likely to occur within area |

Extra Information

| Places on the RNE | [Resource Information] | | | | | | | | | | |
|--|--------------------------|--|------|-------|--------|---------|--|--|---|-----|------------------|
| Note that not all Indigenous sites may be listed. | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Name</th><th>State</th><th>Status</th></tr> </thead> <tbody> <tr> <td>Natural</td><td></td><td></td></tr> <tr> <td><u>Brydes Granite Gorge Beetle Site</u></td><td>QLD</td><td>Indicative Place</td></tr> </tbody> </table> | | | Name | State | Status | Natural | | | <u>Brydes Granite Gorge Beetle Site</u> | QLD | Indicative Place |
| Name | State | Status | | | | | | | | | |
| Natural | | | | | | | | | | | |
| <u>Brydes Granite Gorge Beetle Site</u> | QLD | Indicative Place | | | | | | | | | |
| Invasive Species | [Resource Information] | | | | | | | | | | |
| Weeds reported here are the 20 species of national significance (WoNS), along with other introduced plants that are considered by the States and Territories to pose a particularly significant threat to biodiversity. The following feral animals are reported: Goat, Red Fox, Cat, Rabbit, Pig, Water Buffalo and Cane Toad. Maps from Landscape Health Project, National Land and Water Resources Audit, 2001. | | | | | | | | | | | |
| Name | Status | Type of Presence | | | | | | | | | |
| Birds | | | | | | | | | | | |
| <u>Acridotheres tristis</u> Common Myna, Indian Myna [387] | | Species or species habitat likely to occur within area | | | | | | | | | |

| Name | Status | Type of Presence |
|--|--------|--|
| <u>Anas platyrhynchos</u> | | |
| Mallard [974] | | Species or species habitat likely to occur within area |
| <u>Columba livia</u> | | |
| Rock Pigeon, Rock Dove, Domestic Pigeon [803] | | Species or species habitat likely to occur within area |
| <u>Lonchura punctulata</u> | | |
| Nutmeg Mannikin [399] | | Species or species habitat likely to occur within area |
| <u>Passer domesticus</u> | | |
| House Sparrow [405] | | Species or species habitat likely to occur within area |
| <u>Streptopelia chinensis</u> | | |
| Spotted Turtle-Dove [780] | | Species or species habitat likely to occur within area |
| <u>Sturnus vulgaris</u> | | |
| Common Starling [389] | | Species or species habitat likely to occur within area |
| Frogs | | |
| <u>Bufo marinus</u> | | |
| Cane Toad [1772] | | Species or species habitat likely to occur within area |
| <u>Rhinella marina</u> | | |
| Cane Toad [83218] | | Species or species habitat likely to occur within area |
| Mammals | | |
| <u>Canis lupus familiaris</u> | | |
| Domestic Dog [82654] | | Species or species habitat likely to occur within area |
| <u>Felis catus</u> | | |
| Cat, House Cat, Domestic Cat [19] | | Species or species habitat likely to occur within area |
| <u>Mus musculus</u> | | |
| House Mouse [120] | | Species or species habitat likely to occur within area |
| <u>Oryctolagus cuniculus</u> | | |
| Rabbit, European Rabbit [128] | | Species or species habitat likely to occur within area |
| <u>Rattus norvegicus</u> | | |
| Brown Rat, Norway Rat [83] | | Species or species habitat likely to occur within area |
| <u>Rattus rattus</u> | | |
| Black Rat, Ship Rat [84] | | Species or species habitat likely to occur within area |
| <u>Sus scrofa</u> | | |
| Pig [6] | | Species or species habitat likely to occur within area |
| Plants | | |
| <u>Acacia nilotica subsp. indica</u> | | |
| Prickly Acacia [6196] | | Species or species habitat may occur within area |
| <u>Andropogon gayanus</u> | | |
| Gamba Grass [66895] | | Species or species habitat likely to occur within area |
| <u>Annona glabra</u> | | |
| Pond Apple, Pond-apple Tree, Alligator Apple, | | Species or species |

| Name | Status | Type of Presence |
|--|--------|--|
| Bullock's Heart, Cherimoya, Monkey Apple, Bobwood, Corkwood [6311] <u>Anredera cordifolia</u> | | habitat likely to occur within area |
| Madeira Vine, Jalap, Lamb's-tail, Mignonette Vine, Anredera, Gulf Madeiravine, Heartleaf Madeiravine, Potato Vine [2643] <u>Asparagus plumosus</u> | | Species or species habitat likely to occur within area |
| Climbing Asparagus-fern [48993] | | Species or species habitat likely to occur within area |
| <u>Cabomba caroliniana</u> | | |
| Cabomba, Fanwort, Carolina Watershield, Fish Grass, Washington Grass, Watershield, Carolina Fanwort, Common Cabomba [5171] <u>Cenchrus ciliaris</u> | | Species or species habitat likely to occur within area |
| Buffel-grass, Black Buffel-grass [20213] | | Species or species habitat may occur within area |
| <u>Cryptostegia grandiflora</u> | | |
| Rubber Vine, Rubbervine, India Rubber Vine, India Rubbervine, Palay Rubbervine, Purple Allamanda [18913] <u>Dolichandra unguis-cati</u> | | Species or species habitat likely to occur within area |
| Cat's Claw Vine, Yellow Trumpet Vine, Cat's Claw Creeper, Funnel Creeper [85119] | | Species or species habitat likely to occur within area |
| <u>Eichhornia crassipes</u> | | |
| Water Hyacinth, Water Orchid, Nile Lily [13466] | | Species or species habitat likely to occur within area |
| <u>Hymenachne amplexicaulis</u> | | |
| Hymenachne, Olive Hymenachne, Water Stargrass, West Indian Grass, West Indian Marsh Grass [31754] | | Species or species habitat likely to occur within area |
| <u>Jatropha gossypifolia</u> | | |
| Cotton-leaved Physic-Nut, Bellyache Bush, Cotton-leaf Physic Nut, Cotton-leaf Jatropha, Black Physic Nut [7507] | | Species or species habitat likely to occur within area |
| <u>Lantana camara</u> | | |
| Lantana, Common Lantana, Kamara Lantana, Large-leaf Lantana, Pink Flowered Lantana, Red Flowered Lantana, Red-Flowered Sage, White Sage, Wild Sage [10892] | | Species or species habitat likely to occur within area |
| <u>Parthenium hysterophorus</u> | | |
| Parthenium Weed, Bitter Weed, Carrot Grass, False Ragweed [19566] | | Species or species habitat likely to occur within area |
| <u>Protasparagus plumosus</u> | | |
| Climbing Asparagus-fern, Ferny Asparagus [11747] | | Species or species habitat likely to occur within area |
| <u>Salvinia molesta</u> | | |
| Salvinia, Giant Salvinia, Aquarium Watermoss, Kariba Weed [13665] | | Species or species habitat likely to occur within area |
| Reptiles | | |
| <u>Hemidactylus frenatus</u> | | |
| Asian House Gecko [1708] | | Species or species habitat likely to occur within area |
| <u>Lepidodactylus lugubris</u> | | |
| Mourning Gecko [1712] | | Species or species habitat likely to occur within area |

Coordinates

-17.15222 145.36528,-17.15306 145.36472,-17.15361 145.36333,-17.15333 145.36167,

-17.15444 145.35611,-17.15417 145.35472,-17.16028 145.35556,-17.16678 145.35806,

-17.17222 145.36167,-17.18444 145.37417,-17.19528 145.39444,-17.19806 145.40472,

-17.19556 145.40917,-17.1675 145.41222,-17.15444 145.40056,-17.15056 145.40333,

-17.15056 145.40222,-17.14972 145.39972,-17.14778 145.3975,-17.14583 145.39694,

The information presented in this report has been provided by a range of data sources as acknowledged at

the end of the report.

This report is based on the locations of places which may be determined to be threatened, determining

whether they are listed as threatened under the EPBC Act.

Locations of threatened species and ecological communities have been mapped.

Importance of threatened species and ecological communities is indicated by the presence of marine species

and listed threatened ecological communities.

Mapping of Commonwealth land is not complete at this stage.

Maps have been collated from a range of sources at various resolutions.

Not all species listed under the EPBC Act have been mapped (see below) and therefore a report is a general guide only. Where available data supports mapping, the type of presence that can be determined from the data is indicated in general terms. People using this information in making a referral may need to consider the qualifications below and may need to seek and consider other information sources.

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

For species where the distributions are well known, maps are digitised from sources such as recovery plans and detailed habitat studies. Where appropriate, core breeding, foraging and roosting areas are indicated under 'type of presence'. For species whose distributions are less well known, point locations are collated from government wildlife authorities, museums, and non-government organisations; bioclimatic distribution models are generated and these validated by experts. In some cases, the distribution maps are based solely on expert knowledge.

Only selected species covered by the following provisions of the EPBC Act have been mapped:

- migratory and
- marine

The following species and ecological communities have not been mapped and do not appear in reports produced from this database:

- threatened species listed as extinct or considered as vagrants
- some species and ecological communities that have only recently been listed
- some terrestrial species that overfly the Commonwealth marine area
- migratory species that are very widespread, vagrant, or only occur in small numbers

The following groups have been mapped, but may not cover the complete distribution of the species:

- non-threatened seabirds which have only been mapped for recorded breeding sites
- seals which have only been mapped for breeding sites near the Australian continent

Such breeding sites may be important for the protection of the Commonwealth Marine environment.

Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [Department of Environment, Climate Change and Water, New South Wales](#)
- [Department of Sustainability and Environment, Victoria](#)
- [Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [Department of Environment and Natural Resources, South Australia](#)
- [Parks and Wildlife Service NT, NT Dept of Natural Resources, Environment and the Arts](#)
- [Environmental and Resource Management, Queensland](#)
- [Department of Environment and Conservation, Western Australia](#)
- [Department of the Environment, Climate Change, Energy and Water](#)
- [Birds Australia](#)
- [Australian Bird and Bat Banding Scheme](#)
- [Australian National Wildlife Collection](#)
- Natural history museums of Australia
- [Museum Victoria](#)
- [Australian Museum](#)
- [SA Museum](#)
- [Queensland Museum](#)
- [Online Zoological Collections of Australian Museums](#)
- [Queensland Herbarium](#)
- [National Herbarium of NSW](#)
- [Royal Botanic Gardens and National Herbarium of Victoria](#)
- [Tasmanian Herbarium](#)
- [State Herbarium of South Australia](#)
- [Northern Territory Herbarium](#)
- [Western Australian Herbarium](#)
- [Australian National Herbarium, Atherton and Canberra](#)
- [University of New England](#)
- [Ocean Biogeographic Information System](#)
- [Australian Government, Department of Defence](#)
- [State Forests of NSW](#)
- [Geoscience Australia](#)
- [CSIRO](#)
- Other groups and individuals

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.

Please feel free to provide feedback via the [Contact Us](#) page.



Queensland Government

Wildlife Online Extract

Search Criteria: Species List for a Specified Point

Species: All

Type: All

Status: All

Records: All

Date: All

Latitude: 17.1667

Longitude: 145.387

Distance: 10

Email: naomi.watts@rpsgroup.com.au

Date submitted: Thursday 26 Sep 2013 12:44:36

Date extracted: Thursday 26 Sep 2013 12:50:04

The number of records retrieved = 742

Disclaimer

As the DSITIA is still in a process of collating and vetting data, it is possible the information given is not complete. The information provided should only be used for the project for which it was requested and it should be appropriately acknowledged as being derived from Wildlife Online when it is used.

The State of Queensland does not invite reliance upon, nor accept responsibility for this information. Persons should satisfy themselves through independent means as to the accuracy and completeness of this information.

No statements, representations or warranties are made about the accuracy or completeness of this information. The State of Queensland disclaims all responsibility for this information and all liability (including without limitation, liability in negligence) for all expenses, losses, damages and costs you may incur as a result of the information being inaccurate or incomplete in any way for any reason.

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|------------|----------------|------------------------------------|----------------------------|----|---|---|---------|
| animals | amphibians | Bufonidae | <i>Rhinella marina</i> | cane toad | Y | | | 1 |
| animals | amphibians | Hylidae | <i>Litoria rothii</i> | northern laughing treefrog | C | | | 1 |
| animals | amphibians | Hylidae | <i>Litoria bicolor</i> | northern sedgefrog | C | | | 1 |
| animals | amphibians | Hylidae | <i>Litoria caerulea</i> | common green treefrog | C | | | 1 |
| animals | amphibians | Hylidae | <i>Litoria fallax</i> | eastern sedgefrog | C | | | 2 |
| animals | amphibians | Hylidae | <i>Litoria inermis</i> | bumpy rocketfrog | C | | | 1 |
| animals | amphibians | Myobatrachidae | <i>Uperoleia altissima</i> | tableland gungan | C | | | 1 |
| animals | birds | Acanthizidae | <i>Gerygone mouki</i> | brown gerygone | C | | | 2 |
| animals | birds | Acanthizidae | <i>Sericornis citreogularis</i> | yellow-throated scrubwren | C | | | 1 |
| animals | birds | Acanthizidae | <i>Smicrornis brevirostris</i> | weebill | C | | | 2 |
| animals | birds | Acanthizidae | <i>Sericornis magnirostra</i> | large-billed scrubwren | C | | | 2 |
| animals | birds | Acanthizidae | <i>Oreoscopus gutturalis</i> | fernwren | C | | | 1 |
| animals | birds | Acanthizidae | <i>Sericornis frontalis</i> | white-browed scrubwren | C | | | 1 |
| animals | birds | Acanthizidae | <i>Gerygone albogularis</i> | white-throated gerygone | C | | | 4 |
| animals | birds | Acanthizidae | <i>Sericornis keri</i> | Atherton scrubwren | C | | | 1 |
| animals | birds | Accipitridae | <i>Lophoictinia isura</i> | square-tailed kite | NT | | | 2 |
| animals | birds | Accipitridae | <i>Accipiter fasciatus</i> | brown goshawk | C | | | 2 |
| animals | birds | Accipitridae | <i>Haliastur sphenurus</i> | whistling kite | C | | | 3 |
| animals | birds | Accipitridae | <i>Circus approximans</i> | swamp harrier | C | | | 1 |
| animals | birds | Accipitridae | <i>Elanus axillaris</i> | black-shouldered kite | C | | | 6 |
| animals | birds | Accipitridae | <i>Circus assimilis</i> | spotted harrier | C | | | 2 |
| animals | birds | Accipitridae | <i>Elanus scriptus</i> | letter-winged kite | C | | | 1 |
| animals | birds | Accipitridae | <i>Milvus migrans</i> | black kite | C | | | 11 |
| animals | birds | Accipitridae | <i>Aquila audax</i> | wedge-tailed eagle | C | | | 1 |
| animals | birds | Accipitridae | <i>Haliaeetus leucogaster</i> | white-bellied sea-eagle | C | | | 4 |
| animals | birds | Accipitridae | <i>Erythrotriorchis radiatus</i> | red goshawk | E | V | | 1 |
| animals | birds | Accipitridae | <i>Accipiter novaehollandiae</i> | grey goshawk | NT | | | 1 |
| animals | birds | Acrocephalidae | <i>Acrocephalus australis</i> | Australian reed-warbler | C | | | 1 |
| animals | birds | Anatidae | <i>Dendrocygna arcuata</i> | wandering whistling-duck | C | | | 1 |
| animals | birds | Anatidae | <i>Malacorhynchus membranaceus</i> | pink-eared duck | C | | | 1 |
| animals | birds | Anatidae | <i>Nettapus coromandelianus</i> | cotton pygmy-goose | NT | | | 1 |
| animals | birds | Anatidae | <i>Cygnus atratus</i> | black swan | C | | | 5 |
| animals | birds | Anatidae | <i>Anas superciliosa</i> | Pacific black duck | C | | | 6 |
| animals | birds | Anatidae | <i>Nettapus pulchellus</i> | green pygmy-goose | C | | | 1 |
| animals | birds | Anhingidae | <i>Anhinga novaehollandiae</i> | Australasian darter | C | | | 3 |
| animals | birds | Anseranatidae | <i>Anseranas semipalmata</i> | magpie goose | C | | | 1 |
| animals | birds | Ardeidae | <i>Egretta novaehollandiae</i> | white-faced heron | C | | | 2 |
| animals | birds | Artamidae | <i>Cracticus nigrogularis</i> | pied butcherbird | C | | | 3 |
| animals | birds | Artamidae | <i>Cracticus tibicen</i> | Australian magpie | C | | | 4 |
| animals | birds | Artamidae | <i>Strepera graculina</i> | pied currawong | C | | | 1 |
| animals | birds | Artamidae | <i>Artamus leucorynchus</i> | white-breasted woodswallow | C | | | 2 |
| animals | birds | Burhinidae | <i>Burhinus grallarius</i> | bush stone-curlew | C | | | 4 |
| animals | birds | Cacatuidae | <i>Calyptorhynchus banksii</i> | red-tailed black-cockatoo | C | | | 3 |
| animals | birds | Cacatuidae | <i>Cacatua galerita</i> | sulphur-crested cockatoo | C | | | 7 |
| animals | birds | Campephagidae | <i>Lalage leucomela</i> | varied triller | C | | | 2 |
| animals | birds | Campephagidae | <i>Lalage sueurii</i> | white-winged triller | C | | | 2 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|-------|---------------|------------------------------------|---------------------------------------|---|---|---|---------|
| animals | birds | Campephagidae | <i>Coracina papuensis</i> | white-bellied cuckoo-shrike | C | | | 8 |
| animals | birds | Campephagidae | <i>Coracina tenuirostris</i> | cicadabird | C | | | 1 |
| animals | birds | Campephagidae | <i>Coracina novaehollandiae</i> | black-faced cuckoo-shrike | C | | | 7 |
| animals | birds | Charadriidae | <i>Vanellus miles</i> | masked lapwing | C | | | 4 |
| animals | birds | Cisticolidae | <i>Cisticola exilis</i> | golden-headed cisticola | C | | | 2 |
| animals | birds | Climacteridae | <i>Cormobates leucophaea minor</i> | white-throated treecreeper (northern) | C | | | 2 |
| animals | birds | Columbidae | <i>Macropygia amboinensis</i> | brown cuckoo-dove | C | | | 1 |
| animals | birds | Columbidae | <i>Ocyphaps lophotes</i> | crested pigeon | C | | | 2 |
| animals | birds | Columbidae | <i>Geopelia striata</i> | peaceful dove | C | | | 9 |
| animals | birds | Columbidae | <i>Columba livia</i> | rock dove | Y | | | 1 |
| animals | birds | Columbidae | <i>Geopelia humeralis</i> | bar-shouldered dove | C | | | 1 |
| animals | birds | Columbidae | <i>Streptopelia chinensis</i> | spotted dove | Y | | | 4 |
| animals | birds | Columbidae | <i>Geophaps scripta peninsulae</i> | squatter pigeon (northern subspecies) | C | | | 2/1 |
| animals | birds | Coraciidae | <i>Eurystomus orientalis</i> | dollarbird | C | | | 3/1 |
| animals | birds | Corvidae | <i>Corvus orru</i> | Torresian crow | C | | | 5 |
| animals | birds | Cuculidae | <i>Scythrops novaehollandiae</i> | channel-billed cuckoo | C | | | 2 |
| animals | birds | Cuculidae | <i>Centropus phasianinus</i> | pheasant coucal | C | | | 6/1 |
| animals | birds | Cuculidae | <i>Chalcites basalis</i> | Horsfield's bronze-cuckoo | C | | | 1 |
| animals | birds | Cuculidae | <i>Eudynamys orientalis</i> | eastern koel | C | | | 1 |
| animals | birds | Dicruridae | <i>Dicrurus bracteatus</i> | spangled drongo | C | | | 7 |
| animals | birds | Estrildidae | <i>Taeniopygia bichenovii</i> | double-barred finch | C | | | 3 |
| animals | birds | Estrildidae | <i>Lonchura castaneothorax</i> | chestnut-breasted mannikin | C | | | 2 |
| animals | birds | Estrildidae | <i>Neochmia temporalis</i> | red-browed finch | C | | | 4 |
| animals | birds | Estrildidae | <i>Erythrura gouldiae</i> | Gouldian finch | E | E | | 3 |
| animals | birds | Estrildidae | <i>Lonchura punctulata</i> | nutmeg mannikin | Y | | | 1 |
| animals | birds | Falconidae | <i>Falco berigora</i> | brown falcon | C | | | 1 |
| animals | birds | Falconidae | <i>Falco cenchroides</i> | nankeen kestrel | C | | | 2 |
| animals | birds | Gruidae | <i>Grus rubicunda</i> | broglia | C | | | 1 |
| animals | birds | Gruidae | <i>Grus antigone</i> | sarus crane | C | | | 1 |
| animals | birds | Halcyonidae | <i>Dacelo leachii</i> | blue-winged kookaburra | C | | | 1 |
| animals | birds | Halcyonidae | <i>Todiramphus pyrrhopygius</i> | red-backed kingfisher | C | | | 1 |
| animals | birds | Halcyonidae | <i>Todiramphus macleayii</i> | forest kingfisher | C | | | 1 |
| animals | birds | Halcyonidae | <i>Dacelo novaeguineae</i> | laughing kookaburra | C | | | 11 |
| animals | birds | Hirundinidae | <i>Cheramoeca leucosterna</i> | white-backed swallow | C | | | 2 |
| animals | birds | Hirundinidae | <i>Hirundo neoxena</i> | welcome swallow | C | | | 5 |
| animals | birds | Jacanidae | <i>Irediparra gallinacea</i> | comb-crested jacana | C | | | 2 |
| animals | birds | Laridae | <i>Gygis alba</i> | white tern | C | | | 1 |
| animals | birds | Maluridae | <i>Malurus melanocephalus</i> | red-backed fairy-wren | C | | | 2 |
| animals | birds | Megapodiidae | <i>Megapodius reinwardt</i> | orange-footed scrubfowl | C | | | 1 |
| animals | birds | Megapodiidae | <i>Alectura lathami</i> | Australian brush-turkey | C | | | 6 |
| animals | birds | Meliphagidae | <i>Philemon buceroides</i> | helmeted friarbird | C | | | 1 |
| animals | birds | Meliphagidae | <i>Lichmera indistincta</i> | brown honeyeater | C | | | 9 |
| animals | birds | Meliphagidae | <i>Melithreptus lunatus</i> | white-naped honeyeater | C | | | 1 |
| animals | birds | Meliphagidae | <i>Philemon corniculatus</i> | noisy friarbird | C | | | 2 |
| animals | birds | Meliphagidae | <i>Ramsayornis fasciatus</i> | bar-breasted honeyeater | C | | | 1 |
| animals | birds | Meliphagidae | <i>Myzomela sanguinolenta</i> | scarlet honeyeater | C | | | 4 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|-------|-------------------|--|---------------------------|---|---|---|---------|
| animals | birds | Meliphagidae | <i>Melithreptus albogularis</i> | white-throated honeyeater | C | | | 5 |
| animals | birds | Meliphagidae | <i>Acanthorhynchus tenuirostris</i> | eastern spinebill | C | | | 1 |
| animals | birds | Meliphagidae | <i>Stomiopera flavus</i> | yellow honeyeater | C | | | 5 |
| animals | birds | Meliphagidae | <i>Meliphaga lewinii</i> | Lewin's honeyeater | C | | | 6 |
| animals | birds | Meliphagidae | <i>Myzomela obscura</i> | dusky honeyeater | C | | | 1 |
| animals | birds | Meliphagidae | <i>Meliphaga notata</i> | yellow-spotted honeyeater | C | | | 1 |
| animals | birds | Meliphagidae | <i>Bolemoreus frenatus</i> | bridled honeyeater | C | | | 1 |
| animals | birds | Meliphagidae | <i>Caligavis chrysops</i> | yellow-faced honeyeater | C | | | 2 |
| animals | birds | Meliphagidae | <i>Entomyzon cyanotis</i> | blue-faced honeyeater | C | | | 2 |
| animals | birds | Meliphagidae | <i>Phylidonyris niger</i> | white-cheeked honeyeater | C | | | 3 |
| animals | birds | Meropidae | <i>Merops ornatus</i> | rainbow bee-eater | C | | | 6 |
| animals | birds | Monarchidae | <i>Sympasiarchus trivirgatus</i> | spectacled monarch | C | | | 2 |
| animals | birds | Monarchidae | <i>Myiagra rubecula</i> | leaden flycatcher | C | | | 2 |
| animals | birds | Monarchidae | <i>Myiagra cyanoleuca</i> | satin flycatcher | C | | | 1 |
| animals | birds | Monarchidae | <i>Grallina cyanoleuca</i> | magpie-lark | C | | | 24 |
| animals | birds | Monarchidae | <i>Monarcha melanopsis</i> | black-faced monarch | C | | | 1 |
| animals | birds | Nectariniidae | <i>Dicaeum hirundinaceum</i> | mistletoebird | C | | | 4 |
| animals | birds | Nectariniidae | <i>Nectarinia jugularis</i> | olive-backed sunbird | C | | | 1 |
| animals | birds | Neosittidae | <i>Daphoenositta chrysoptera</i> | varied sittella | C | | | 1 |
| animals | birds | Oriolidae | <i>Sphecotheres vieilloti</i> | Australasian figbird | C | | | 3 |
| animals | birds | Oriolidae | <i>Oriolus sagittatus</i> | olive-backed oriole | C | | | 2 |
| animals | birds | Otididae | <i>Ardeotis australis</i> | Australian bustard | C | | | 2 |
| animals | birds | Pachycephalidae | <i>Pachycephala pectoralis</i> | golden whistler | C | | | 1 |
| animals | birds | Pachycephalidae | <i>Pachycephala rufiventris</i> | rufous whistler | C | | | 5 |
| animals | birds | Pachycephalidae | <i>Colluricincla megarhyncha</i> | little shrike-thrush | C | | | 1 |
| animals | birds | Pachycephalidae | <i>Colluricincla harmonica</i> | grey shrike-thrush | C | | | 2 |
| animals | birds | Pardalotidae | <i>Pardalotus striatus</i> | striated pardalote | C | | | 4 |
| animals | birds | Pardalotidae | <i>Pardalotus rubricatus</i> | red-browed pardalote | C | | | 1 |
| animals | birds | Passeridae | <i>Passer domesticus</i> | house sparrow | Y | | | 2 |
| animals | birds | Petroicidae | <i>Eopsaltria australis</i> | eastern yellow robin | C | | | 2 |
| animals | birds | Petroicidae | <i>Heteromyias cinereifrons</i> | grey-headed robin | C | | | 1 |
| animals | birds | Phalacrocoracidae | <i>Phalacrocorax sulcirostris</i> | little black cormorant | C | | | 2 |
| animals | birds | Phalacrocoracidae | <i>Phalacrocorax carbo</i> | great cormorant | C | | | 4 |
| animals | birds | Phalacrocoracidae | <i>Microcarbo melanoleucus</i> | little pied cormorant | C | | | 3 |
| animals | birds | Phasianidae | <i>Coturnix ypsilophora</i> | brown quail | C | | | 1 |
| animals | birds | Podicipedidae | <i>Podiceps cristatus</i> | great crested grebe | C | | | 1 |
| animals | birds | Podicipedidae | <i>Tachybaptus novaehollandiae</i> | Australasian grebe | C | | | 5 |
| animals | birds | Pomatostomidae | <i>Pomatostomus temporalis</i> | grey-crowned babbler | C | | | 2 |
| animals | birds | Psittacidae | <i>Trichoglossus haematodus moluccanus</i> | rainbow lorikeet | C | | | 9 |
| animals | birds | Psittacidae | <i>Cyclopsitta diophthalma macleayana</i> | Macleay's fig-parrot | V | | | 1 |
| animals | birds | Psittacidae | <i>Trichoglossus chlorolepidotus</i> | scaly-breasted lorikeet | C | | | 5 |
| animals | birds | Psittacidae | <i>Platycercus adscitus</i> | pale-headed rosella | C | | | 3 |
| animals | birds | Psittacidae | <i>Aprosmictus erythropterus</i> | red-winged parrot | C | | | 1 |
| animals | birds | Psophodidae | <i>Psophodes olivaceus</i> | eastern whipbird | C | | | 1 |
| animals | birds | Ptilonorhynchidae | <i>Scenopoeetes dentirostris</i> | tooth-billed bowerbird | C | | | 2 |
| animals | birds | Ptilonorhynchidae | <i>Ailuroedus melanotis</i> | spotted catbird | C | | | 6/2 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|-------------------|-------------------|--|-------------------------|---|----|---|---------|
| animals | birds | Ptilonorhynchidae | <i>Ptilonorhynchus nuchalis</i> | great bowerbird | | C | | 1 |
| animals | birds | Rallidae | <i>Fulica atra</i> | Eurasian coot | | C | | 3 |
| animals | birds | Recurvirostridae | <i>Recurvirostra novaehollandiae</i> | red-necked avocet | | C | | 1 |
| animals | birds | Rhipiduridae | <i>Rhipidura leucophrys</i> | willie wagtail | | C | | 8 |
| animals | birds | Rhipiduridae | <i>Rhipidura rufifrons</i> | rufous fantail | | C | | 1 |
| animals | birds | Rhipiduridae | <i>Rhipidura albiscapa</i> | grey fantail | | C | | 5 |
| animals | birds | Strigidae | <i>Ninox connivens</i> | barking owl | | C | | 1 |
| animals | birds | Strigidae | <i>Ninox boobook</i> | southern boobook | | C | | 1 |
| animals | birds | Sturnidae | <i>Sturnus tristis</i> | common myna | Y | | | 19 |
| animals | birds | Threskiornithidae | <i>Threskiornis spinicollis</i> | straw-necked ibis | | C | | 2 |
| animals | birds | Timaliidae | <i>Zosterops lateralis</i> | silveryeye | | C | | 6 |
| animals | birds | Turdidae | <i>Zoothera heinei</i> | russet-tailed thrush | | C | | 1 |
| animals | birds | Turnicidae | <i>Turnix maculosus</i> | red-backed button-quail | | C | | 1 |
| animals | birds | Tytonidae | <i>Tyto javanica</i> | eastern barn owl | | C | | 1/1 |
| animals | birds | Tytonidae | <i>Tyto longimembris</i> | eastern grass owl | | C | | 3 |
| animals | birds | Tytonidae | <i>Tyto tenebricosa multipunctata</i> | lesser sooty owl | | C | | 1 |
| animals | malacostracans | Parastacidae | <i>Cherax quadricarinatus</i> | redclaw | | | | 4 |
| animals | mammals | Dasyuridae | <i>Dasyurus hallucatus</i> | northern quoll | | C | E | 7/1 |
| animals | mammals | Dasyuridae | <i>Planigale maculata</i> | common planigale | | C | | 3/2 |
| animals | mammals | Felidae | <i>Felis catus</i> | cat | Y | | | 1 |
| animals | mammals | Leporidae | <i>Oryctolagus cuniculus</i> | rabbit | Y | | | 3 |
| animals | mammals | Macropodidae | <i>Thylogale stigmatica</i> | red-legged pademelon | | C | | 2 |
| animals | mammals | Macropodidae | <i>Macropus parryi</i> | whiptail wallaby | | C | | 1 |
| animals | mammals | Macropodidae | <i>Macropus robustus</i> | common wallaroo | | C | | 1 |
| animals | mammals | Macropodidae | <i>Macropus agilis</i> | agile wallaby | | C | | 10 |
| animals | mammals | Macropodidae | <i>Petrogale mareeba</i> | Mareeba rock-wallaby | | NT | | 3/2 |
| animals | mammals | Muridae | <i>Rattus sordidus</i> | canefield rat | | C | | 1/1 |
| animals | mammals | Muridae | <i>Rattus rattus</i> | black rat | Y | | | 1/1 |
| animals | mammals | Muridae | <i>Uromys caudimaculatus</i> | giant white-tailed rat | | C | | 1 |
| animals | mammals | Peramelidae | <i>Isoodon sp.</i> | | | | | 1 |
| animals | mammals | Peramelidae | <i>Perameles nasuta</i> | long-nosed bandicoot | | C | | 3/1 |
| animals | mammals | Petauridae | <i>Dactylopsila trivirgata</i> | striped possum | | C | | 1 |
| animals | mammals | Petauridae | <i>Petaurus norfolkensis</i> | squirrel glider | | C | | 1 |
| animals | mammals | Petauridae | <i>Petaurus breviceps</i> | sugar glider | | C | | 2/2 |
| animals | mammals | Phalangeridae | <i>Trichosurus vulpecula</i> | common brushtail possum | | C | | 8/1 |
| animals | mammals | Potoroidae | <i>Aepyprymnus rufescens</i> | rufous bettong | | C | | 2 |
| animals | mammals | Pseudocheiridae | <i>Petauroides volans</i> | greater glider | | C | | 1 |
| animals | mammals | Pseudocheiridae | <i>Pseudochirops archeri</i> | green ringtail possum | | NT | | 2/2 |
| animals | mammals | Pseudocheiridae | <i>Pseudochirus peregrinus</i> | common ringtail possum | | C | | 1/1 |
| animals | mammals | Pteropodidae | <i>Pteropus conspicillatus</i> | spectacled flying-fox | | C | V | 9/2 |
| animals | mammals | Pteropodidae | <i>Pteropus scapulatus</i> | little red flying-fox | | C | | 1 |
| animals | mammals | Tachyglossidae | <i>Tachyglossus aculeatus</i> | short-beaked echidna | | C | | 4/2 |
| animals | ray-finned fishes | Apogonidae | <i>Glossamia aprion</i> | mouth almighty | | | | 81 |
| animals | ray-finned fishes | Atherinidae | <i>Craterocephalus stercusmuscarum</i> | flyspecked hardyhead | | | | 54 |
| animals | ray-finned fishes | Belontidae | <i>Strongylura krefftii</i> | freshwater longtom | | | | 1 |
| animals | ray-finned fishes | Cichlidae | <i>Tilapia mariae</i> | spotted tilapia | Y | | | 9 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|-------------------|-----------------|--|--------------------------------------|----|---|---|---------|
| animals | ray-finned fishes | Clupeidae | <i>Nematolosa erebi</i> | bony bream | | | | 82 |
| animals | ray-finned fishes | Eleotridae | <i>Hypseleotris compressa</i> | empire gudgeon | | | | 21 |
| animals | ray-finned fishes | Eleotridae | <i>Oxyeleotris lineolata</i> | sleepy cod | | | | 10 |
| animals | ray-finned fishes | Eleotridae | <i>Oxyeleotris selheimi</i> | blackbanded gudgeon | | | | 1 |
| animals | ray-finned fishes | Eleotridae | <i>Hypseleotris galii</i> | firetail gudgeon | | | | 1 |
| animals | ray-finned fishes | Eleotridae | <i>Mogurnda adspersa</i> | southern purplespotted gudgeon | | | | 1 |
| animals | ray-finned fishes | Eleotridae | <i>Mogurnda mogurnda</i> | northern purplespotted gudgeon | | | | 8 |
| animals | ray-finned fishes | Melanotaeniidae | <i>Melanotaenia splendida inornata</i> | checkered rainbowfish | | | | 25 |
| animals | ray-finned fishes | Melanotaeniidae | <i>Melanotaenia eachamensis</i> | Lake Eacham rainbowfish | E | | | 1/1 |
| animals | ray-finned fishes | Melanotaeniidae | <i>Melanotaenia splendida splendida</i> | eastern rainbowfish | | | | 75 |
| animals | ray-finned fishes | Plotosidae | <i>Tandanus tandanus</i> | freshwater catfish | | | | 21 |
| animals | ray-finned fishes | Plotosidae | <i>Neosilurus ater</i> | black catfish | | | | 7 |
| animals | ray-finned fishes | Plotosidae | <i>Porochilus rendahli</i> | Rendahl's catfish | | | | 21 |
| animals | ray-finned fishes | Plotosidae | <i>Neosilurus hyrtlii</i> | Hyrtl's catfish | | | | 7 |
| animals | ray-finned fishes | Poeciliidae | <i>Poecilia reticulata</i> | guppy | Y | | | 12 |
| animals | ray-finned fishes | Terapontidae | <i>Leiopotherapon unicolor</i> | spangled perch | | | | 11 |
| animals | ray-finned fishes | Terapontidae | <i>Hephaestus fuliginosus</i> | sooty grunter | | | | 8 |
| animals | ray-finned fishes | Terapontidae | <i>Hephaestus carbo</i> | coal grunter | | | | 5 |
| animals | ray-finned fishes | Terapontidae | <i>Amniataba percoides</i> | barred grunter | | | | 54 |
| animals | reptiles | Boidae | <i>Aspidites melanocephalus</i> | black-headed python | C | | | 2 |
| animals | reptiles | Boidae | <i>Morelia spilota</i> | carpet python | C | | | 4 |
| animals | reptiles | Boidae | <i>Morelia kinghorni</i> | amethystine python (Australian form) | C | | | 1 |
| animals | reptiles | Colubridae | <i>Tropidonophis mairii</i> | freshwater snake | C | | | 1/1 |
| animals | reptiles | Diplodactylidae | <i>Amalosia rhombifer</i> | zig-zag gecko | C | | | 1 |
| animals | reptiles | Elapidae | <i>Cryptophis nigrescens</i> | eastern small-eyed snake | C | | | 1/1 |
| animals | reptiles | Elapidae | <i>Pseudonaja textilis</i> | eastern brown snake | C | | | 1/1 |
| animals | reptiles | Elapidae | <i>Cacophis churchilli</i> | | C | | | 1/1 |
| animals | reptiles | Elapidae | <i>Acanthophis antarcticus</i> | common death adder | NT | | | 1/1 |
| animals | reptiles | Scincidae | <i>Cryptoblepharus metallicus</i> | metallic snake-eyed skink | C | | | 1 |
| animals | reptiles | Scincidae | <i>Carlia storri</i> | | C | | | 1/1 |
| animals | reptiles | Scincidae | <i>Eulamprus tenuis</i> | | C | | | 1/1 |
| animals | reptiles | Typhlopidae | <i>Ramphotyphlops sp.</i> | | | | | 1/1 |
| fungi | club fungi | Basidiomycota | <i>Lepista</i> | | C | | | 1/1 |
| fungi | club fungi | Basidiomycota | <i>Macrolepiota clelandii</i> | | C | | | 1/1 |
| fungi | club fungi | Basidiomycota | <i>Pisolithus albus</i> | | C | | | 1/1 |
| fungi | club fungi | Basidiomycota | <i>Scleroderma</i> | | C | | | 1/1 |
| fungi | club fungi | Basidiomycota | <i>Cortinarius</i> | | C | | | 1/1 |
| fungi | club fungi | Basidiomycota | <i>Polyporus</i> | | C | | | 1/1 |
| fungi | club fungi | Basidiomycota | <i>Amanita</i> | | C | | | 1/1 |
| fungi | club fungi | Basidiomycota | <i>Boletus</i> | | C | | | 1/1 |
| fungi | club fungi | Basidiomycota | <i>Microporellus obovatus</i> | | C | | | 1/1 |
| fungi | club fungi | Basidiomycota | <i>Agaricus</i> | | C | | | 2/2 |
| fungi | club fungi | Basidiomycota | <i>Calvatia</i> | | C | | | 1/1 |
| fungi | club fungi | Basidiomycota | <i>Inonotus</i> | | C | | | 1/1 |
| fungi | sac fungi | Acarosporaceae | <i>Acarospora</i> | | C | | | 1/1 |
| fungi | sac fungi | Pertusariaceae | <i>Pertusaria subventosa var. subventosa</i> | | C | | | 1/1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|------------------|--|----------------------|---|---|---|---------|
| fungi | sac fungi | Pertusariaceae | <i>Ochrolechia</i> | | | C | | 1/1 |
| fungi | sac fungi | Physciaceae | <i>Pyxine plumea</i> | | | C | | 1/1 |
| fungi | sac fungi | Physciaceae | <i>Buellia</i> | | | C | | 1/1 |
| fungi | sac fungi | Teloschistaceae | <i>Caloplaca</i> | | | C | | 1/1 |
| plants | conifers | Araucariaceae | <i>Agathis atropurpurea</i> | blue kauri pine | | C | | 1/1 |
| plants | conifers | Cupressaceae | <i>Callitris intratropica</i> | coast cypress pine | | C | | 1/1 |
| plants | conifers | Podocarpaceae | <i>Sundacarpus amarus</i> | | | C | | 1/1 |
| plants | cycads | Cycadaceae | <i>Cycas media</i> subsp. <i>banksii</i> | | | C | | 1/1 |
| plants | cycads | Cycadaceae | <i>Cycas media</i> - <i>C.platyphylla</i> | | | C | | 1/1 |
| plants | ferns | Adiantaceae | <i>Cheilanthes nitida</i> | | | C | | 1/1 |
| plants | ferns | Adiantaceae | <i>Cheilanthes brownii</i> | | | C | | 1/1 |
| plants | ferns | Adiantaceae | <i>Adiantum philippense</i> | | | C | | 2/2 |
| plants | ferns | Adiantaceae | <i>Doryopteris concolor</i> | | | C | | 1/1 |
| plants | ferns | Adiantaceae | <i>Paraceterach muelleri</i> | | | C | | 1/1 |
| plants | ferns | Adiantaceae | <i>Cheilanthes sieberi</i> subsp. <i>sieberi</i> | | | C | | 1/1 |
| plants | ferns | Adiantaceae | <i>Cheilanthes tenuifolia</i> | rock fern | | C | | 1/1 |
| plants | ferns | Aspleniaceae | <i>Asplenium paleaceum</i> | scaly asplenium | | C | | 1/1 |
| plants | ferns | Athyriaceae | <i>Callipteris prolifera</i> | | | C | | 2/2 |
| plants | ferns | Azollaceae | <i>Azolla pinnata</i> | fernly azolla | | C | | 1/1 |
| plants | ferns | Azollaceae | <i>Azolla</i> | | | | | 1 |
| plants | ferns | Dryopteridaceae | <i>Lastreopsis microsora</i> subsp. <i>microsora</i> | | | C | | 1/1 |
| plants | ferns | Hymenophyllaceae | <i>Hymenophyllum walleri</i> | | | C | | 1/1 |
| plants | ferns | Hymenophyllaceae | <i>Hymenophyllum samoense</i> | | | C | | 1/1 |
| plants | ferns | Lindsaeaceae | <i>Lindsaea microphylla</i> | | | C | | 1/1 |
| plants | ferns | Nephrolepidaceae | <i>Arthropteris tenella</i> | lacy wedge fern | | C | | 1/1 |
| plants | ferns | Ophioglossaceae | <i>Ophioglossum gramineum</i> | climbing fern | | C | | 1/1 |
| plants | ferns | Polypodiaceae | <i>Pyrrosia confluens</i> var. <i>dielsii</i> | | | C | | 1/1 |
| plants | ferns | Polypodiaceae | <i>Colysis sayeri</i> | | | C | | 1/1 |
| plants | ferns | Pteridaceae | <i>Acrostichum aureum</i> | golden mangrove fern | | C | | 1/1 |
| plants | ferns | Pteridaceae | <i>Pteris tripartita</i> | lacy bracken | | C | | 1/1 |
| plants | ferns | Thelypteridaceae | <i>Sphaerostephanos unitus</i> var. <i>unitus</i> | | | C | | 2/2 |
| plants | ferns | Thelypteridaceae | <i>Cyclosorus interruptus</i> | | | C | | 1/1 |
| plants | ferns | Vittariaceae | <i>Monogramma acrocarpa</i> | | | C | | 1/1 |
| plants | higher dicots | Acanthaceae | <i>Asystasia</i> sp. (Newcastle Bay L.J.Brass 18671) | | | C | | 1/1 |
| plants | higher dicots | Acanthaceae | <i>Rostellularia adscendens</i> subsp. <i>glaucoviolacea</i> | | | C | | 1/1 |
| plants | higher dicots | Acanthaceae | <i>Rostellularia adscendens</i> var. <i>hispida</i> | | | C | | 1/1 |
| plants | higher dicots | Acanthaceae | <i>Rostellularia adscendens</i> | | | C | | 1/1 |
| plants | higher dicots | Acanthaceae | <i>Thunbergia fragrans</i> | | Y | | | 1/1 |
| plants | higher dicots | Acanthaceae | <i>Brunoniella australis</i> | blue trumpet | | C | | 1/1 |
| plants | higher dicots | Acanthaceae | <i>Hypoestes phyllostachya</i> | | Y | | | 1/1 |
| plants | higher dicots | Acanthaceae | <i>Harnieria hygrophiloides</i> | white karambal | | C | | 1/1 |
| plants | higher dicots | Amaranthaceae | <i>Celosia argentea</i> | | | Y | | 1/1 |
| plants | higher dicots | Amaranthaceae | <i>Amaranthus spinosus</i> | needle burr | | Y | | 1/1 |
| plants | higher dicots | Amaranthaceae | <i>Deeringia amaranthoides</i> | redberry | | C | | 1/1 |
| plants | higher dicots | Apiaceae | <i>Actinotus gibbonsii</i> | dwarf flannel flower | | C | | 2/2 |
| plants | higher dicots | Apocynaceae | <i>Gomphocarpus physocarpus</i> | balloon cottonbush | Y | | | 1/1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|-----------------|--|--------------------------|---|----|-----|---------|
| plants | higher dicots | Apocynaceae | <i>Marsdenia suborbicularis</i> | | | C | | 1/1 |
| plants | higher dicots | Apocynaceae | <i>Marsdenia longipedicellata</i> | | | C | | 1/1 |
| plants | higher dicots | Apocynaceae | <i>Wrightia saligna</i> | | | C | | 1/1 |
| plants | higher dicots | Apocynaceae | <i>Neisosperma poweri</i> | | | C | | 1/1 |
| plants | higher dicots | Apocynaceae | <i>Phyllanthera grayi</i> | | | V | | 7/7 |
| plants | higher dicots | Apocynaceae | <i>Tylophora colorata</i> | | | C | | 1/1 |
| plants | higher dicots | Apocynaceae | <i>Alstonia muelleriana</i> | hard milkwood | | C | | 1/1 |
| plants | higher dicots | Apocynaceae | <i>Asclepias curassavica</i> | red-head cottonbush | Y | | 1/1 | |
| plants | higher dicots | Araliaceae | <i>Astrotricha pterocarpa</i> | | | C | | 1/1 |
| plants | higher dicots | Araliaceae | <i>Trachymene montana</i> | | | C | | 2/2 |
| plants | higher dicots | Araliaceae | <i>Hydrocotyle</i> | | | C | | 1/1 |
| plants | higher dicots | Asteraceae | <i>Acmella grandiflora var. brachyglossa</i> | | | C | | 6/6 |
| plants | higher dicots | Asteraceae | <i>Picris angustifolia subsp. carolorum-henricorum</i> | | | C | | 1/1 |
| plants | higher dicots | Asteraceae | <i>Phacelothrix cladochaeta</i> | | | C | | 2/2 |
| plants | higher dicots | Asteraceae | <i>Parthenium hysterophorus</i> | parthenium weed | Y | | 1/1 | |
| plants | higher dicots | Asteraceae | <i>Coronidium lanuginosum</i> | | | C | | 2/2 |
| plants | higher dicots | Asteraceae | <i>Centratherum punctatum</i> | | Y | | 1/1 | |
| plants | higher dicots | Asteraceae | <i>Senecio prenanthoides</i> | | | C | | 1/1 |
| plants | higher dicots | Asteraceae | <i>Glossocardia refracta</i> | | | C | | 1/1 |
| plants | higher dicots | Asteraceae | <i>Cyanthillium cinereum</i> | | | C | | 1/1 |
| plants | higher dicots | Asteraceae | <i>Calyptocarpus vialis</i> | creeping cinderella weed | Y | | 1/1 | |
| plants | higher dicots | Asteraceae | <i>Praxelis clematidea</i> | | Y | | 3/3 | |
| plants | higher dicots | Asteraceae | <i>Peripleura diffusa</i> | | | C | | 1/1 |
| plants | higher dicots | Asteraceae | <i>Camptacra gracilis</i> | | | C | | 2/2 |
| plants | higher dicots | Asteraceae | <i>Peripleura scabra</i> | | | NT | | 1/1 |
| plants | higher dicots | Asteraceae | <i>Ageratina riparia</i> | mistflower | | Y | | 1/1 |
| plants | higher dicots | Asteraceae | <i>Cosmos caudatus</i> | | | Y | | 2/2 |
| plants | higher dicots | Asteraceae | <i>Cirsium vulgare</i> | spear thistle | | Y | | 1/1 |
| plants | higher dicots | Balanopaceae | <i>Balanops australiana</i> | | | C | | 1/1 |
| plants | higher dicots | Bignoniaceae | <i>Dolichandra unguis-cati</i> | | | Y | | 2/2 |
| plants | higher dicots | Boraginaceae | <i>Heliotropium peninsulare</i> | | | C | | 1/1 |
| plants | higher dicots | Boraginaceae | <i>Heliotropium tabuliplagae</i> | | | C | | 2/2 |
| plants | higher dicots | Brassicaceae | <i>Lepidium virginicum</i> | Virginian peppercress | Y | | 1/1 | |
| plants | higher dicots | Bytneriaceae | <i>Keraudrenia lanceolata</i> | | | C | | 1/1 |
| plants | higher dicots | Caesalpiniaceae | <i>Erythrophleum chlorostachys</i> | | | C | | 2/2 |
| plants | higher dicots | Caesalpiniaceae | <i>Chamaecrista mimosoides</i> | dwarf cassia | | C | | 1/1 |
| plants | higher dicots | Caesalpiniaceae | <i>Chamaecrista exigua var. exigua</i> | | | C | | 1/1 |
| plants | higher dicots | Campanulaceae | <i>Wahlenbergia caryophylloides</i> | | | C | | 1/1 |
| plants | higher dicots | Campanulaceae | <i>Lobelia gibbosa var. gibbosa</i> | | | C | | 1/1 |
| plants | higher dicots | Caryophyllaceae | <i>Polycarpaea corymbosa var. corymbosa</i> | | | C | | 1/1 |
| plants | higher dicots | Caryophyllaceae | <i>Polycarpaea spirostylis subsp. spirostylis</i> | | | C | | 1/1 |
| plants | higher dicots | Casuarinaceae | <i>Allocasuarina torulosa</i> | | | C | | 1/1 |
| plants | higher dicots | Celastraceae | <i>Euonymus australiana</i> | | | C | | 1/1 |
| plants | higher dicots | Celastraceae | <i>Celastrus subspicata</i> | large-leaved staffvine | | C | | 1/1 |
| plants | higher dicots | Celastraceae | <i>Denhamia disperma</i> | | | C | | 3/3 |
| plants | higher dicots | Celastraceae | <i>Elaeodendron melanocarpum</i> | | | C | | 1/1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|-----------------|---|---------------------|---|----|---|---------|
| plants | higher dicots | Convolvulaceae | <i>Ipomoea gracilis</i> | | | C | | 1/1 |
| plants | higher dicots | Convolvulaceae | <i>Turbina corymbosa</i> | | Y | | | 1/1 |
| plants | higher dicots | Convolvulaceae | <i>Ipomoea polymorpha</i> | | | C | | 1/1 |
| plants | higher dicots | Convolvulaceae | <i>Xenostegia tridentata</i> | | | C | | 1/1 |
| plants | higher dicots | Convolvulaceae | <i>Ipomoea polpha subsp. polpha</i> | | | C | | 7/7 |
| plants | higher dicots | Cucurbitaceae | <i>Neoalsomitra clavigera</i> | | | C | | 1/1 |
| plants | higher dicots | Dichapetalaceae | <i>Dichapetalum papuanum</i> | | | C | | 1/1 |
| plants | higher dicots | Dilleniaceae | <i>Hibbertia</i> | | | C | | 2/2 |
| plants | higher dicots | Dilleniaceae | <i>Hibbertia aspera subsp. pilosifolia</i> | | | C | | 1/1 |
| plants | higher dicots | Ebenaceae | <i>Diospyros australis</i> | black plum | | C | | 1/1 |
| plants | higher dicots | Elaeocarpaceae | <i>Elaeocarpus coorangooloo</i> | brown quandong | | NT | | 10/10 |
| plants | higher dicots | Ericaceae | <i>Monotoca scoparia</i> | prickly broom heath | | C | | 1/1 |
| plants | higher dicots | Ericaceae | <i>Leucopogon</i> | | | C | | 3/3 |
| plants | higher dicots | Ericaceae | <i>Astroloma sp. (Baal Gammon B.P.Hyland 10341)</i> | | | C | | 1/1 |
| plants | higher dicots | Ericaceae | <i>Melichrus urceolatus</i> | | | C | | 1/1 |
| plants | higher dicots | Ericaceae | <i>Acrothamnus spathaceus</i> | honey gorse | | C | | 1/1 |
| plants | higher dicots | Ericaceae | <i>Leucopogon ruscifolius</i> | | | C | | 1/1 |
| plants | higher dicots | Euphorbiaceae | <i>Alchornea ilicifolia</i> | native holly | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Gompholobium nitidum</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Cajanus scarabaeoides var. scarabaeoides</i> | | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Crotalaria medicaginea var. medicaginea</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Vigna</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Galactia</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Tephrosia</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Hovea nana</i> | | | C | | 4/4 |
| plants | higher dicots | Fabaceae | <i>Uraria picta</i> | | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Cajanus cajan</i> | pigeon pea | Y | | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Mirbelia pungens</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Tephrosia juncea</i> | | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Crotalaria brevis</i> | | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Tephrosia varians</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Zornia stirlingii</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Desmodium pullenii</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Glycine tomentella</i> | woolly glycine | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Indigofera colutea</i> | sticky indigo | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Indigofera linnaei</i> | Birdsville indigo | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Kennedia rubicunda</i> | red Kennedy pea | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Lotononis bainesii</i> | lotononis | Y | | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Zornia macdonaldii</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Crotalaria calycina</i> | | | C | | 3/3 |
| plants | higher dicots | Fabaceae | <i>Crotalaria goreensis</i> | gambia pea | | Y | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Erythrina vespertilio subsp. vespertilio</i> | | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Indigofera linifolia</i> | | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Stylosanthes humilis</i> | Townsville stylo | | Y | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Tephrosia leptoclada</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Uraria lagopodioides</i> | | | C | | 2/2 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|------------------|--|------------------|---|----|---|---------|
| plants | higher dicots | Fabaceae | <i>Indigofera bancroftii</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Aeschynomene micranthos</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Aeschynomene paniculata</i> | | Y | | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Lamprolobium fruticosum</i> | | | C | | 3/3 |
| plants | higher dicots | Fabaceae | <i>Desmodium rhytidophyllum</i> | | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Aphyllodium biarticulatum</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Austrodolichos errabundus</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Rhynchosia acuminatissima</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Rhynchosia minima</i> var. <i>minima</i> | | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Neonotonia wightii</i> var. <i>wightii</i> | | Y | | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Pultenaea millarii</i> var. <i>millarii</i> | | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Tephrosia filipes</i> subsp. <i>filipes</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Galactia tenuiflora</i> forma <i>sericea</i> | | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Macrotyloma axillare</i> var. <i>axillare</i> | | Y | | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Mirbelia speciosa</i> subsp. <i>ringrosei</i> | | | C | | 1/1 |
| plants | higher dicots | Fabaceae | <i>Cajanus reticulatus</i> var. <i>reticulatus</i> | | | C | | 2/2 |
| plants | higher dicots | Fabaceae | <i>Crotalaria montana</i> var. <i>angustifolia</i> | | | C | | 1/1 |
| plants | higher dicots | Flacourtiaceae | <i>Homalium brachybotrys</i> | | | C | | 1/1 |
| plants | higher dicots | Flacourtiaceae | <i>Scolopia braunii</i> | flintwood | | C | | 1/1 |
| plants | higher dicots | Flacourtiaceae | <i>Casearia grayi</i> | | | C | | 1/1 |
| plants | higher dicots | Gentianaceae | <i>Fagraea fagraeacea</i> | | | C | | 2/2 |
| plants | higher dicots | Goodeniaceae | <i>Goodenia stirlingii</i> | | | V | | 1/1 |
| plants | higher dicots | Goodeniaceae | <i>Goodenia rosulata</i> | | | C | | 1/1 |
| plants | higher dicots | Haloragaceae | <i>Haloragis heterophylla</i> | rough raspweed | | C | | 1/1 |
| plants | higher dicots | Lamiaceae | <i>Prostanthera</i> | | | C | | 3/3 |
| plants | higher dicots | Lamiaceae | <i>Plectranthus parviflorus</i> | | | C | | 1/1 |
| plants | higher dicots | Lamiaceae | <i>Mesosphaerum suaveolens</i> | | Y | | | 1/1 |
| plants | higher dicots | Lamiaceae | <i>Plectranthus diversus</i> | | | C | | 1/1 |
| plants | higher dicots | Lamiaceae | <i>Platostoma longicorne</i> | | | C | | 1/1 |
| plants | higher dicots | Lamiaceae | <i>Anisomeles malabarica</i> | | | C | | 1/1 |
| plants | higher dicots | Lamiaceae | <i>Pogostemon stellatus</i> | | | C | | 1/1 |
| plants | higher dicots | Lamiaceae | <i>Plectranthus amoenus</i> | | | V | | 1/1 |
| plants | higher dicots | Lamiaceae | <i>Salvia misella</i> | | Y | | | 2/2 |
| plants | higher dicots | Lamiaceae | <i>Prostanthera</i> sp. (Dinden P.I. Forster+ PIF17342) | | | E | | 1/1 |
| plants | higher dicots | Lentibulariaceae | <i>Utricularia</i> | | | C | | 1 |
| plants | higher dicots | Lentibulariaceae | <i>Utricularia bifida</i> | | | C | | 1/1 |
| plants | higher dicots | Lentibulariaceae | <i>Utricularia caerulea</i> | blue bladderwort | | C | | 1/1 |
| plants | higher dicots | Loganiaceae | <i>Mitrasacme pygmaea</i> | | | C | | 1/1 |
| plants | higher dicots | Loranthaceae | <i>Lysiana filifolia</i> | | | NT | | 1/1 |
| plants | higher dicots | Loranthaceae | <i>Amyema miquelii</i> | | | C | | 1/1 |
| plants | higher dicots | Loranthaceae | <i>Decaisnina brittenii</i> subsp. <i>brittenii</i> | | | C | | 1/1 |
| plants | higher dicots | Loranthaceae | <i>Amylotheca dictyophleba</i> | | | C | | 1/1 |
| plants | higher dicots | Lythraceae | <i>Rotala tripartita</i> | | | C | | 1/1 |
| plants | higher dicots | Melastomataceae | <i>Melastoma malabathricum</i> subsp. <i>malabathricum</i> | | | C | | 1/1 |
| plants | higher dicots | Menyanthaceae | <i>Nymphoides indica</i> | water snowflake | | C | | 2/2 |
| plants | higher dicots | Menyanthaceae | <i>Nymphoides</i> | | | C | | 2 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|-------------|---|-----------------------|--------------------|---|---|---------|
| plants | higher dicots | Mimosaceae | <i>Acacia humifusa</i> | | | C | | 1/1 |
| plants | higher dicots | Mimosaceae | <i>Acacia leptoloba</i> | | | C | | 1/1 |
| plants | higher dicots | Mimosaceae | <i>Acacia flavescens</i> | | toothed wattle | C | | 1/1 |
| plants | higher dicots | Mimosaceae | <i>Acacia disparrima subsp. calidestris</i> | | | C | | 2/2 |
| plants | higher dicots | Mimosaceae | <i>Acacia leptocarpa</i> | | north coast wattle | C | | 1/1 |
| plants | higher dicots | Mimosaceae | <i>Acacia aulacocarpa</i> | | | C | | 1/1 |
| plants | higher dicots | Mimosaceae | <i>Acacia crassicarpa</i> | | | C | | 1/1 |
| plants | higher dicots | Mimosaceae | <i>Acacia melanoxylon</i> | blackwood | | C | | 1/1 |
| plants | higher dicots | Mimosaceae | <i>Acacia multisiliqua</i> | | | C | | 2/2 |
| plants | higher dicots | Mimosaceae | <i>Vachellia bidwillii</i> | | | C | | 1/1 |
| plants | higher dicots | Mimosaceae | <i>Acacia purpureopetala</i> | | | V | V | 1/1 |
| plants | higher dicots | Mimosaceae | <i>Acaciella angustissima</i> | | | Y | | 1/1 |
| plants | higher dicots | Mimosaceae | <i>Acacia burrana</i> | | | C | | 1/1 |
| plants | higher dicots | Mimosaceae | <i>Acacia whitei</i> | | | C | | 2/2 |
| plants | higher dicots | Mimosaceae | <i>Acacia simsii</i> | | | C | | 2/2 |
| plants | higher dicots | Mimosaceae | <i>Acacia hemignosta</i> | | | C | | 2/2 |
| plants | higher dicots | Moraceae | <i>Ficus obliqua</i> | | | C | | 3/3 |
| plants | higher dicots | Moraceae | <i>Ficus leptoclada</i> | | | C | | 1/1 |
| plants | higher dicots | Myrsinaceae | <i>Tapeinosperma pallidum</i> | | | C | | 1/1 |
| plants | higher dicots | Myrsinaceae | <i>Myrsine variabilis</i> | | | C | | 2/2 |
| plants | higher dicots | Myrtaceae | <i>Gossia bidwillii</i> | | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca uxorum</i> | | | E | | 5/5 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca nervosa</i> | | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca recurva</i> | | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca sylvana</i> | | | E | | 2/2 |
| plants | higher dicots | Myrtaceae | <i>Sannantha angusta</i> | | | C | | 2/2 |
| plants | higher dicots | Myrtaceae | <i>Syzygium australe</i> | scrub cherry | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Uromyrtus tenella</i> | | | C | | 2/2 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca borealis</i> | | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca monantha</i> | | | C | | 3/3 |
| plants | higher dicots | Myrtaceae | <i>Corymbia intermedia</i> | pink bloodwood | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus cullenii</i> | Cullen's ironbark | | C | | 4/4 |
| plants | higher dicots | Myrtaceae | <i>Homoranthus porteri</i> | | | V | V | 5/5 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca citrolens</i> | | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca viminalis</i> | | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Corymbia ellipsoidea</i> | | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Corymbia tessellaris</i> | Moreton Bay ash | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus cloeziana</i> | Gympie messmate | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus granitica</i> | granite ironbark | | C | | 2/2 |
| plants | higher dicots | Myrtaceae | <i>Corymbia clarksoniana</i> | | | C | | 6/6 |
| plants | higher dicots | Myrtaceae | <i>Corymbia leichhardtii</i> | rustyjacket | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca leucadendra</i> | broad-leaved tea-tree | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus leptophleba</i> | Molloy red box | | C | | 6/6 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca stenostachya</i> | | | C | | 4/4 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus tereticornis</i> | | | C | | 1 |
| plants | higher dicots | Myrtaceae | <i>Leptospermum amboinense</i> | | | C | | 1/1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|------------------|--|---------------------|---|---|---|---------|
| plants | higher dicots | Myrtaceae | <i>Melaleuca trichostachya</i> | | | C | | 2/2 |
| plants | higher dicots | Myrtaceae | <i>Lophostemon grandiflorus</i> | | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus lockyeri subsp. exuta</i> | | | C | | 2/2 |
| plants | higher dicots | Myrtaceae | <i>Corymbia citriodora subsp. citriodora</i> | | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca viridiiflora var. viridiiflora</i> | | | C | | 2/2 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus pachycalyx subsp. pachycalyx</i> | | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Lophostemon grandiflorus subsp. riparius</i> | | | C | | 2/2 |
| plants | higher dicots | Myrtaceae | <i>Gossia hillii</i> | | | C | | 1/1 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca</i> | | | C | | 2/1 |
| plants | higher dicots | Myrtaceae | <i>Lophostemon</i> | | | C | | 1 |
| plants | higher dicots | Nyctaginaceae | <i>Pisonia aculeata</i> | thorny Pisonia | | C | | 1/1 |
| plants | higher dicots | Nyctaginaceae | <i>Mirabilis jalapa</i> | four o'clock | Y | | | 1/1 |
| plants | higher dicots | Oleaceae | <i>Olea paniculata</i> | | | C | | 1/1 |
| plants | higher dicots | Oleaceae | <i>Ligustrum australianum</i> | | | C | | 1/1 |
| plants | higher dicots | Oleaceae | <i>Notelaea</i> | | | C | | 1/1 |
| plants | higher dicots | Oleaceae | <i>Notelaea sp. (Barakula A.R.Bean 7553)</i> | | | C | | 1/1 |
| plants | higher dicots | Oleaceae | <i>Jasminum dallachii</i> | soft jasmine | | C | | 2/2 |
| plants | higher dicots | Onagraceae | <i>Ludwigia octovalvis</i> | willow primrose | | C | | 2 |
| plants | higher dicots | Opiliaceae | <i>Opilia amentacea</i> | | | C | | 1/1 |
| plants | higher dicots | Passifloraceae | <i>Passiflora herbertiana subsp. herbertiana</i> | native passionfruit | | C | | 1/1 |
| plants | higher dicots | Phyllanthaceae | <i>Glochidion harveyanum</i> | | | C | | 1/1 |
| plants | higher dicots | Phyllanthaceae | <i>Antidesma parvifolium</i> | | | C | | 2/2 |
| plants | higher dicots | Phyllanthaceae | <i>Margaritaria dubium-traceyi</i> | | | C | | 2/2 |
| plants | higher dicots | Phyllanthaceae | <i>Sauropolis macranthus</i> | | V | V | | 6/6 |
| plants | higher dicots | Phyllanthaceae | <i>Antidesma bunius</i> | currantwood | | C | | 1/1 |
| plants | higher dicots | Phyllanthaceae | <i>Glochidion harveyanum var. harveyanum</i> | | | C | | 1/1 |
| plants | higher dicots | Phyllanthaceae | <i>Sauropolis aphyllus</i> | | | C | | 1/1 |
| plants | higher dicots | Phytolaccaceae | <i>Phytolacca octandra</i> | inkweed | Y | | | 1/1 |
| plants | higher dicots | Picroidendraceae | <i>Pseudanthus ligulatus subsp. ligulatus</i> | | | C | | 2/2 |
| plants | higher dicots | Picroidendraceae | <i>Petalostigma banksii</i> | | | C | | 2/2 |
| plants | higher dicots | Pittosporaceae | <i>Bursaria incana</i> | | | C | | 1/1 |
| plants | higher dicots | Polygalaceae | <i>Polygala persicariifolia</i> | | | C | | 2/2 |
| plants | higher dicots | Polygalaceae | <i>Polygala paniculata</i> | | Y | | | 1/1 |
| plants | higher dicots | Polygalaceae | <i>Comesperma</i> | | | C | | 3/3 |
| plants | higher dicots | Polygalaceae | <i>Salomonia ciliata</i> | | | C | | 1/1 |
| plants | higher dicots | Polygonaceae | <i>Persicaria barbata</i> | | | C | | 1/1 |
| plants | higher dicots | Polygonaceae | <i>Persicaria decipiens</i> | slender knotweed | | C | | 3/3 |
| plants | higher dicots | Polygonaceae | <i>Muehlenbeckia zippelii</i> | | | C | | 2/2 |
| plants | higher dicots | Polygonaceae | <i>Persicaria</i> | | | C | | 1 |
| plants | higher dicots | Proteaceae | <i>Grevillea glauca</i> | bushy's clothes peg | | C | | 2/2 |
| plants | higher dicots | Proteaceae | <i>Grevillea dryandri subsp. dryandri</i> | | | C | | 1/1 |
| plants | higher dicots | Proteaceae | <i>Hakea persiehana</i> | | | C | | 1/1 |
| plants | higher dicots | Proteaceae | <i>Alloxyton flammeum</i> | | V | V | | 4/4 |
| plants | higher dicots | Proteaceae | <i>Grevillea coriacea</i> | | | C | | 1/1 |
| plants | higher dicots | Proteaceae | <i>Grevillea parallela</i> | | | C | | 1/1 |
| plants | higher dicots | Proteaceae | <i>Grevillea glossadenia</i> | | V | V | | 4/4 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|------------------|---|--------------------|---|---|---|---------|
| plants | higher dicots | Proteaceae | <i>Grevillea pteridifolia</i> | golden parrot tree | | C | | 1/1 |
| plants | higher dicots | Proteaceae | <i>Stenocarpus angustifolius</i> | | | C | | 2/2 |
| plants | higher dicots | Putranjivaceae | <i>Drypetes deplanchei</i> | grey boxwood | | C | | 2/2 |
| plants | higher dicots | Rhamnaceae | <i>Alphitonia excelsa</i> | soap tree | | C | | 1/1 |
| plants | higher dicots | Rhamnaceae | <i>Alphitonia pomaderroides</i> | | | C | | 3/3 |
| plants | higher dicots | Rhamnaceae | <i>Rhamnus nipaensis</i> | | | C | | 1/1 |
| plants | higher dicots | Rhamnaceae | <i>Cryptandra debilis</i> | | | C | | 3/3 |
| plants | higher dicots | Rubiaceae | <i>Hedyotis auricularia var. melanesica</i> | | | C | | 1/1 |
| plants | higher dicots | Rubiaceae | <i>Psychotria sp. (Danbulla S.T.Blake 15262)</i> | | | C | | 1/1 |
| plants | higher dicots | Rubiaceae | <i>Atractocarpus fitzalanii subsp. fitzalanii</i> | | | C | | 1/1 |
| plants | higher dicots | Rubiaceae | <i>Coffea arabica</i> | Arabian coffee | Y | | | 1/1 |
| plants | higher dicots | Rubiaceae | <i>Ixora oreogena</i> | | | C | | 1/1 |
| plants | higher dicots | Rubiaceae | <i>Richardia scabra</i> | | | Y | | 1/1 |
| plants | higher dicots | Rubiaceae | <i>Psydrax attenuata</i> | | | C | | 2/2 |
| plants | higher dicots | Rubiaceae | <i>Randia tuberculosa</i> | | | C | | 1/1 |
| plants | higher dicots | Rubiaceae | <i>Coelospermum reticulatum</i> | | | C | | 1/1 |
| plants | higher dicots | Rubiaceae | <i>Hodgkinsonia frutescens</i> | | | C | | 4/4 |
| plants | higher dicots | Rubiaceae | <i>Larsenaikia ochreata</i> | | | C | | 1/1 |
| plants | higher dicots | Rubiaceae | <i>Opercularia diphylla</i> | | | C | | 1/1 |
| plants | higher dicots | Rubiaceae | <i>Gynochthodes umbellata</i> | | | C | | 1/1 |
| plants | higher dicots | Rutaceae | <i>Zieria minutiflora subsp. trichocarpa</i> | | | C | | 1/1 |
| plants | higher dicots | Rutaceae | <i>Zieria whitei</i> | | | C | | 3/3 |
| plants | higher dicots | Rutaceae | <i>Melicope jonesii</i> | | | C | | 1/1 |
| plants | higher dicots | Rutaceae | <i>Acronychia laevis</i> | glossy acronychia | | C | | 2/2 |
| plants | higher dicots | Rutaceae | <i>Boronia bipinnata</i> | rock boronia | | C | | 2/2 |
| plants | higher dicots | Rutaceae | <i>Zieria cytisoides</i> | downy Zieria | | C | | 2/2 |
| plants | higher dicots | Rutaceae | <i>Acronychia vestita</i> | | | C | | 1/1 |
| plants | higher dicots | Rutaceae | <i>Boronia occidentalis</i> | | | C | | 1/1 |
| plants | higher dicots | Rutaceae | <i>Flindersia schottiana</i> | bumpy ash | | C | | 1/1 |
| plants | higher dicots | Rutaceae | <i>Zanthoxylum veneficum</i> | | | C | | 2/2 |
| plants | higher dicots | Rutaceae | <i>Melicope broadbentiana</i> | | | C | | 1/1 |
| plants | higher dicots | Rutaceae | <i>Acronychia crassipetala</i> | | | C | | 1/1 |
| plants | higher dicots | Rutaceae | <i>Zanthoxylum ovalifolium</i> | | | C | | 1/1 |
| plants | higher dicots | Santalaceae | <i>Exocarpos latifolius</i> | | | C | | 1/1 |
| plants | higher dicots | Santalaceae | <i>Santalum lanceolatum</i> | | | C | | 1/1 |
| plants | higher dicots | Santalaceae | <i>Exocarpos cupressiformis</i> | native cherry | | C | | 1/1 |
| plants | higher dicots | Sapindaceae | <i>Castanospora alphandii</i> | brown tamarind | | C | | 1/1 |
| plants | higher dicots | Sapindaceae | <i>Diploglottis bernieana</i> | | | C | | 1/1 |
| plants | higher dicots | Sapindaceae | <i>Dodonaea lanceolata var. subsessilifolia</i> | | | C | | 1/1 |
| plants | higher dicots | Sapindaceae | <i>Guioa acutifolia</i> | northern guioa | | C | | 1/1 |
| plants | higher dicots | Sapindaceae | <i>Alectryon tomentosus</i> | | | C | | 4/4 |
| plants | higher dicots | Sapindaceae | <i>Arytera divaricata</i> | coogra | | C | | 3/3 |
| plants | higher dicots | Sapindaceae | <i>Atalaya variifolia</i> | | | C | | 1/1 |
| plants | higher dicots | Sapindaceae | <i>Dodonaea tenuifolia</i> | | | C | | 1/1 |
| plants | higher dicots | Sapotaceae | <i>Sersalisia sericea</i> | | | C | | 1/1 |
| plants | higher dicots | Scrophulariaceae | <i>Limnophila aromatica</i> | | | C | | 1/1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|------------------|---|----------------------|----|---|---|---------|
| plants | higher dicots | Scrophulariaceae | <i>Limnophila fragrans</i> | | | C | | 1/1 |
| plants | higher dicots | Scrophulariaceae | <i>Striga parviflora</i> | | | C | | 2/2 |
| plants | higher dicots | Scrophulariaceae | <i>Rhamphicarpa australiensis</i> | | NT | | | 1/1 |
| plants | higher dicots | Solanaceae | <i>Nicandra physalodes</i> | apple of Peru | Y | | | 1/1 |
| plants | higher dicots | Solanaceae | <i>Solanum seaforthianum</i> | Brazilian nightshade | Y | | | 1/1 |
| plants | higher dicots | Solanaceae | <i>Physalis peruviana</i> | | Y | | | 1/1 |
| plants | higher dicots | Solanaceae | <i>Nicotiana tabacum</i> | | Y | | | 3/3 |
| plants | higher dicots | Solanaceae | <i>Solanum torvum</i> | devil's fig | Y | | | 1/1 |
| plants | higher dicots | Solanaceae | <i>Cestrum nocturnum</i> | | Y | | | 3/3 |
| plants | higher dicots | Sparmanniaceae | <i>Grewia retusifolia</i> | | C | | | 2/2 |
| plants | higher dicots | Sterculiaceae | <i>Argyrodendron trifoliolatum</i> | booyong | C | | | 1/1 |
| plants | higher dicots | Sterculiaceae | <i>Brachychiton diversifolius subsp. orientalis</i> | | C | | | 1/1 |
| plants | higher dicots | Stylidiaceae | <i>Styliodium cordifolium</i> | | C | | | 2/2 |
| plants | higher dicots | Stylidiaceae | <i>Styliodium eriorhizum</i> | | C | | | 1/1 |
| plants | higher dicots | Stylidiaceae | <i>Styliodium capillare</i> | | C | | | 1/1 |
| plants | higher dicots | Surianaceae | <i>Guilfoylia monostylis</i> | guilfoylia | C | | | 2/2 |
| plants | higher dicots | Thymelaeaceae | <i>Phaleria clerodendron</i> | scented daphne | C | | | 1/1 |
| plants | higher dicots | Thymelaeaceae | <i>Phaleria chermsideana</i> | scrub daphne | C | | | 2/2 |
| plants | higher dicots | Thymelaeaceae | <i>Thecanthes cornucopiae</i> | | C | | | 1/1 |
| plants | higher dicots | Thymelaeaceae | <i>Pimelea sericostachya subsp. sericostachya</i> | | C | | | 1/1 |
| plants | higher dicots | Urticaceae | <i>Urtica incisa</i> | stinging nettle | C | | | 1/1 |
| plants | higher dicots | Violaceae | <i>Hybanthus monopetalus</i> | | C | | | 1/1 |
| plants | higher dicots | Viscaceae | <i>Notothixos subaureus</i> | golden mistletoe | C | | | 1/1 |
| plants | higher dicots | Viscaceae | <i>Viscum articulatum</i> | flat mistletoe | C | | | 1/1 |
| plants | higher dicots | Vitaceae | <i>Cissus cardiophylla</i> | | C | | | 1/1 |
| plants | higher dicots | Vitaceae | <i>Cayratia trifolia</i> | | C | | | 1/1 |
| plants | higher dicots | Vitaceae | <i>Tetrastigma petraeum</i> | | C | | | 3/3 |
| plants | higher dicots | Vitaceae | <i>Clematicissus opaca</i> | | C | | | 3/3 |
| plants | higher dicots | Zygophyllaceae | <i>Tribulus terrestris</i> | caltrop | C | | | 1/1 |
| plants | lower dicots | Annonaceae | <i>Polyalthia nitidissima</i> | polyalthia | C | | | 1/1 |
| plants | lower dicots | Cabombaceae | <i>Brasenia schreberi</i> | | NT | | | 1/1 |
| plants | lower dicots | Ceratophyllaceae | <i>Ceratophyllum demersum</i> | | C | | | 1/1 |
| plants | lower dicots | Himantandraceae | <i>Galbulimima baccata</i> | | C | | | 1/1 |
| plants | lower dicots | Lauraceae | <i>Endiandra dielsiana</i> | | C | | | 1/1 |
| plants | lower dicots | Lauraceae | <i>Endiandra bessaphila</i> | | C | | | 4/4 |
| plants | lower dicots | Lauraceae | <i>Beilschmiedia recurva</i> | | C | | | 1/1 |
| plants | lower dicots | Lauraceae | <i>Cryptocarya cocosoides</i> | | C | | | 6/6 |
| plants | lower dicots | Lauraceae | <i>Cryptocarya densiflora</i> | | C | | | 1/1 |
| plants | lower dicots | Lauraceae | <i>Cinnamomum laubatii</i> | | C | | | 1/1 |
| plants | lower dicots | Lauraceae | <i>Cinnamomum camphora</i> | camphor laurel | Y | | | 1/1 |
| plants | lower dicots | Lauraceae | <i>Cassytha filiformis</i> | dodder laurel | C | | | 1/1 |
| plants | lower dicots | Lauraceae | <i>Neolitsea brassii</i> | | C | | | 3/3 |
| plants | lower dicots | Lauraceae | <i>Neolitsea dealbata</i> | white bolly gum | C | | | 2/2 |
| plants | lower dicots | Menispermaceae | <i>Pachygone ovata</i> | | C | | | 1/1 |
| plants | lower dicots | Menispermaceae | <i>Hypserpa smilacifolia</i> | | NT | | | 1/1 |
| plants | lower dicots | Nymphaeaceae | <i>Nymphaea</i> | | C | | | 1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|--------------|---------------|---|--------------------|---|---|---|---------|
| plants | lower dicots | Nymphaeaceae | <i>Nymphaea immutabilis</i> | | | C | | 1/1 |
| plants | lower dicots | Ranunculaceae | <i>Clematis pickeringii</i> | | | C | | 2/2 |
| plants | monocots | Alismataceae | <i>Caldesia reniformis</i> | | | C | | 1/1 |
| plants | monocots | Araceae | <i>Spirodela oligorrhiza</i> | | | C | | 2/2 |
| plants | monocots | Asparagaceae | <i>Asparagus racemosus</i> | native asparagus | | C | | 1/1 |
| plants | monocots | Boryaceae | <i>Borya septentrionalis</i> | | | C | | 1/1 |
| plants | monocots | Colchicaceae | <i>Iphigenia indica</i> | | | C | | 1/1 |
| plants | monocots | Commelinaceae | <i>Cartonema spicatum</i> | | | C | | 1/1 |
| plants | monocots | Commelinaceae | <i>Murdannia vaginata</i> | | Y | | | 1/1 |
| plants | monocots | Cyperaceae | <i>Fuirena umbellata</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus polystachyos var. polystachyos</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus haspan subsp. haspan</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus conicus var. conicus</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Fimbristylis cinnamometorum</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Rhynchospora subtenuifolia</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Schoenoplectus mucronatus</i> | | | C | | 5/3 |
| plants | monocots | Cyperaceae | <i>Cyperus</i> | | | C | | 1 |
| plants | monocots | Cyperaceae | <i>Eleocharis</i> | | | C | | 2 |
| plants | monocots | Cyperaceae | <i>Cyperus mirus</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus fulvus</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus distans</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus triceps</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Scleria brownii</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus flavidus</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Bulbostylis densa</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus aquatilis</i> | | | C | | 2/2 |
| plants | monocots | Cyperaceae | <i>Cyperus trinervis</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Eleocharis dulcis</i> | | Y | | | 1/1 |
| plants | monocots | Cyperaceae | <i>Eleocharis minuta</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Schoenus falcatus</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus unioloides</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Bulbostylis barbata</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Fimbristylis cymosa</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Fimbristylis nutans</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus holoschoenus</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus involucratus</i> | | Y | | | 1/1 |
| plants | monocots | Cyperaceae | <i>Cyperus polystachyos</i> | | | C | | 2/2 |
| plants | monocots | Cyperaceae | <i>Lipocarpha chinensis</i> | | | C | | 2/2 |
| plants | monocots | Cyperaceae | <i>Eleocharis equisetina</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Eleocharis geniculata</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Schoenoplectus laevis</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Fimbristylis dichotoma</i> | common fringe-rush | | C | | 2/2 |
| plants | monocots | Cyperaceae | <i>Fimbristylis macrantha</i> | | | C | | 1/1 |
| plants | monocots | Cyperaceae | <i>Eleocharis atropurpurea</i> | | | C | | 2/2 |
| plants | monocots | Eriocaulaceae | <i>Eriocaulon scariosum</i> | | | C | | 1/1 |
| plants | monocots | Eriocaulaceae | <i>Eriocaulon nanum</i> | | | C | | 1/1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|----------|------------------|--|------------------------------|----|---|---|---------|
| plants | monocots | Hydrocharitaceae | <i>Ottelia alismoides</i> | | C | | | 1/1 |
| plants | monocots | Hypoxidaceae | <i>Curculigo ensifolia</i> var. <i>ensifolia</i> | | C | | | 1/1 |
| plants | monocots | Laxmanniaceae | <i>Lomandra</i> | | C | | | 2/2 |
| plants | monocots | Laxmanniaceae | <i>Lomandra multiflora</i> subsp. <i>multiflora</i> | | C | | | 1/1 |
| plants | monocots | Laxmanniaceae | <i>Lomandra filiformis</i> | | C | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Diuris oporina</i> | northern white donkeys tails | NT | | | 2/2 |
| plants | monocots | Orchidaceae | <i>Zeuxine oblonga</i> | hairy jewel orchid | C | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Phaius australis</i> | | E | E | | 1/1 |
| plants | monocots | Orchidaceae | <i>Corybas cerasinus</i> | | NT | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Empusa habenaria</i> | | C | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Acianthus borealis</i> | | C | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Cheirostylis ovata</i> | caterpillar orchid | C | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Dipodium ensifolium</i> | leafy hyacinth orchid | C | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Pterostylis stricta</i> | | C | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Peristylus banfieldii</i> | | NT | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Dendrobium monophyllum</i> | | C | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Spathoglottis paulinae</i> | | NT | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Arthrocillus oreophilus</i> | | C | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Dockrillia calamiformis</i> | | C | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Thelymitra angustifolia</i> | | C | | | 1/1 |
| plants | monocots | Orchidaceae | <i>Dendrobium speciosum</i> subsp. <i>pedunculatum</i> | | C | | | 1/1 |
| plants | monocots | Pandanaceae | <i>Pandanus cookii</i> | | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Dactyloctenium aegyptium</i> | coast button grass | Y | | | 2/2 |
| plants | monocots | Poaceae | <i>Capillipedium parviflorum</i> | scented top | C | | | 2/2 |
| plants | monocots | Poaceae | <i>Mnesithea rottboellioides</i> | | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Schizachyrium pseudeulalia</i> | | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Aristida utilis</i> var. <i>utilis</i> | | C | | | 2/2 |
| plants | monocots | Poaceae | <i>Hyparrhenia rufa</i> subsp. <i>rufa</i> | | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Setaria pumila</i> subsp. <i>pumila</i> | | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Aristida calycina</i> var. <i>calycina</i> | | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Sorghum nitidum</i> forma <i>aristatum</i> | | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Ischaemum australe</i> var. <i>australe</i> | | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Chloris divaricata</i> var. <i>divaricata</i> | slender chloris | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Hymenachne amplexicaulis</i> cv. <i>Olive</i> | | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Panicum seminudum</i> var. <i>cairnsianum</i> | | C | | | 2/2 |
| plants | monocots | Poaceae | <i>Bothriochloa bladhii</i> subsp. <i>bladhii</i> | | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Urochloa holosericea</i> subsp. <i>holosericea</i> | | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Hyparrhenia</i> | | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Eriachne rara</i> | | C | | | 2/2 |
| plants | monocots | Poaceae | <i>Panicum simile</i> | | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Sarga plumosum</i> | | C | | | 2/2 |
| plants | monocots | Poaceae | <i>Chloris virgata</i> | feathertop rhodes grass | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Eleusine indica</i> | crowsfoot grass | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Eriachne obtusa</i> | | C | | | 2/2 |
| plants | monocots | Poaceae | <i>Panicum effusum</i> | | C | | | 1/1 |
| plants | monocots | Poaceae | <i>Sehima nervosum</i> | | C | | | 1/1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|----------|------------------|--------------------------------|------------------------|---|---|---|---------|
| plants | monocots | Poaceae | <i>Setaria surgens</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Urochloa mutica</i> | | Y | | | 2 |
| plants | monocots | Poaceae | <i>Eriachne armitii</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Leersia hexandra</i> | swamp rice grass | | C | | 3/1 |
| plants | monocots | Poaceae | <i>Panicum incomtum</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Themeda triandra</i> | kangaroo grass | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Mnesithea formosa</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Urochloa pubigera</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Andropogon gayanus</i> | gamba grass | Y | | | 2/2 |
| plants | monocots | Poaceae | <i>Aristida warburgii</i> | | | C | | 2/2 |
| plants | monocots | Poaceae | <i>Arundinella setosa</i> | | | C | | 3/3 |
| plants | monocots | Poaceae | <i>Digitaria bicornis</i> | | | C | | 2/2 |
| plants | monocots | Poaceae | <i>Oplismenus aemulus</i> | creeping shade grass | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Oryza meridionalis</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Panicum antidotale</i> | giant panic | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Urochloa brizantha</i> | | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Urochloa decumbens</i> | | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Aristida perniciosa</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Cymbopogon ambiguus</i> | lemon grass | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Cymbopogon obtectus</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Eragrostis cumingii</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Megathyrsus maximus</i> | | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Melinis minutiflora</i> | molasses grass | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Sporobolus fertilis</i> | giant Parramatta grass | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Urochloa polyphylla</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Cenchrus caliculatus</i> | hillside burrgrass | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Cymbopogon refractus</i> | barbed-wire grass | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Echinochloa inundata</i> | marsh millet | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Ectrosia agrostoides</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Eragrostis pubescens</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Eragrostis schultzii</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Themeda quadrivalvis</i> | grader grass | Y | | | 2/2 |
| plants | monocots | Poaceae | <i>Whiteochloa airoides</i> | | | C | | 2/2 |
| plants | monocots | Poaceae | <i>Aristida superpendens</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Cenchrus polystachios</i> | | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Cymbopogon bombycinus</i> | silky oilgrass | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Heteropogon contortus</i> | black speargrass | | C | | 2/2 |
| plants | monocots | Poaceae | <i>Heteropogon triticeus</i> | giant speargrass | | C | | 2/2 |
| plants | monocots | Poaceae | <i>Schizachyrium fragile</i> | firegrass | | C | | 3/3 |
| plants | monocots | Poaceae | <i>Enneapogon lindleyanus</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Sporobolus pyramidalis</i> | | Y | | | 1/1 |
| plants | monocots | Poaceae | <i>Digitaria nematostachya</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Sporobolus jacquemontii</i> | | Y | | | 2/2 |
| plants | monocots | Pontederiaceae | <i>Monochoria cyanea</i> | | | C | | 1/1 |
| plants | monocots | Potamogetonaceae | <i>Potamogeton</i> | | | C | | 1/1 |
| plants | monocots | Typhaceae | <i>Typha</i> | | | C | | 2 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|-------------|------------------|----------------------------------|--------------------|---|---|---|---------|
| plants | monocots | Typhaceae | <i>Typha domingensis</i> | | | C | | 1/1 |
| plants | monocots | Xyridaceae | <i>Xyris complanata</i> | yellow-eye | | C | | 1/1 |
| plants | mosses | Meteoriaceae | <i>Aerobryopsis longissima</i> | | | C | | 1/1 |
| plants | mosses | Sematophyllaceae | <i>Sematophyllum subpinnatum</i> | | | C | | 1/1 |
| plants | uncertain | Indet. | <i>Indet.</i> | | | C | | 2 |
| plants | whisk ferns | Psilotaceae | <i>Psilotum nudum</i> | skeleton fork fern | | C | | 2/2 |

CODES

I - Y indicates that the taxon is introduced to Queensland and has naturalised.

Q - Indicates the Queensland conservation status of each taxon under the *Nature Conservation Act 1992*. The codes are Extinct in the Wild (PE), Endangered (E), Vulnerable (V), Near Threatened (NT), Least Concern (C) or Not Protected ().

A - Indicates the Australian conservation status of each taxon under the *Environment Protection and Biodiversity Conservation Act 1999*. The values of EPBC are Conservation Dependent (CD), Critically Endangered (CE), Endangered (E), Extinct (EX), Extinct in the Wild (XW) and Vulnerable (V).

Records – The first number indicates the total number of records of the taxon for the record option selected (i.e. All, Confirmed or Specimens).

This number is output as 99999 if it equals or exceeds this value. The second number located after the / indicates the number of specimen records for the taxon.

This number is output as 999 if it equals or exceeds this value.